MACHEREY-NAGEL



according to Regulations REACh 1907/2006/EC

REF: 91875	NANOCOLOR Phenol	Page: 1/11
Printing date: 15.05.2024	Date of issue: 07.02.2024	Version: 2.2.2.11

SECTION 1: Identification of the substance/mixture and of the company

1.1 **Product identifier** REF 91875 Product name NANOCOLOR Phenol REACH Registration number(s): see SECTION 3.1/3.2 or A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration. 2 x 100 mL Phenol (R1) 2 x 100 mL Phenol (R3) UFI: QV1U-G3FC-0201-4D53 1 x 22 g Phenol (R2) UFI: 1S1U-Y3RX-P20J-F1K1 1.2 Relevant identified uses of the substance or mixture and uses advised against **Relevant identified uses** Product for analytical use. Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 The exposure scenario is integrated into sections 1-16. Uses advised against not described 1.3 Details of the supplier of the safety data sheet Manufactured by: MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11, 52355 Düren, Germany Phone: +49 2421 969 0 E-mail: sds@mn-net.com (msds@mn-net.com) 1.4 Emergency telephone number Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service. DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730, <https://www.ggiz-erfurt.de> You find our current versions of SDS in Internet: <http://www.mn-net.com/SDS> **SECTION 2: Hazard identification**

2.0 Classification of the complete product according to Regulation (EC) 1272/2008

	GHS07
Signal word	WARNING
Hazard identification	Hazard classes/categories
H302 H319	Acute Tox. 4 oral Eye Irrit. 2

2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

100 mL Phenol (R1)

Signal word	Do not need labelling as hazardous -
No hazard class	
100 mL Phenol (R3)	



US Tel.: +1 888 321 62 24 sales-us@mn-net.com





according to Regulations REACh 1907/2006/EC

REF: 91875	NANOCOLOR Phenol	Page: 2/11
Printing date: 15.05.2024	Date of issue: 07.02.2024	Version: 2.2.2.1
	^	
	GHS07	
Signal word	WARNING	
Hazard identification	Hazard classes/categories	
H319	Eye Irrit. 2	
22 g Phenol (R2)		
	\wedge	
	GHS07	
Signal word	WARNING	
Hazard identification	Hazard classes/categories	
H302	Acute Tox. 4 oral	
List of H phrases: see section 16.2		
2 Label elements according		

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I - 1.5.1.2). Harmful chemicals/mixtures with signal word: **WARNING** must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2).

100 mL Phenol (R1) Do not need labelling as hazardous Signal word: -

100 mL Phenol (R3)



GHS07

Signal word: WARNING

22 g Phenol (R2)



Signal word: WARNING

Label elements of the complete product



Signal word: WARNING

2.3 Other hazards



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Software: M2 V 6.1.5.0



according to Regulations REACh 1907/2006/EC

REF: 91875	NANOCOLOR Phenol	Page: 3/11
Printing date: 15.05.2024	Date of issue: 07.02.2024	Version: 2.2.2.11

Possible hazards from physicochemical properties

In the case of pH values are less than 5 or higher than 9 then it is irritant.

Information pertaining to particular risks to human and possible symptoms Cause after oral intake, impairments of health when ingested in small quantities.

Information pertaining to particular risks to the environment PBT: not applicable

vPvB: not applicable

Possible endocrine disrupting effects no data available

SECTION 3: Composition / information on ingredients

3.1 Substances or 3.2 Mixtures

100 mL	Phenol (R1) Substance name: CAS No.:	<i>4-nitroaniline</i> 100-01-6		
	Substance rating: H412, Aquatic Chron	lic 3	te Tox. 3 derm., H331	, Acute Tox. 3 inh., H373, STOT RE 2,
	Formula: Pseudonym (de): REACH Reg. No.: EC No.: Concentration: acc. CLP (GHS):	C $_{6}$ H $_{6}$ N $_{2}$ O $_{2}$ p-Nitranilin 01-2119942160-50-xxxx 202-810-1 0 - <1 % The criteria for classification are not fulfilled.	Indice No.:	612-012-00-9
100 mL	Phenol (R3) Substance name: CAS No.:	sodium carbonate 497-19-8		
	Substance rating: Formula: Pseudonym (de): REACH Reg. No.: EC No.: Concentration: acc. CLP (GHS):	H319, Eye Irrit. 2 Na ₂ CO ₃ Soda 01-2119485498-19-xxxx 207-838-8 10 - <20 % H319, Eye Irrit. 2	Indice No.:	011-005-00-2
22 g Ph	enol (R2) Substance name: CAS No.:	<i>sodium nitrite</i> 7632-00-0		
	Substance rating:	H272, Ox. Liq. 2, H301, Acute Tox.	3 oral, H319, Eye Irrit.	2, H400, Aquatic Acute 1

Substance rating:	H272, Ox. Liq. 2, H301, Acute To	ox. 3 oral, H319, Eye	Irrit. 2, H400, Aquatic Acute
Formula:	NaNO 2		
Pseudonym (de):	Salpetrigsaures Natrium, Natrium	n nitrosum	
REACH Reg. No.:	01-2119471836-27-xxxx		
EC No.:	231-555-9	Indice No.:	007-010-00-4
Concentration:	1 - <5 %		
acc. CLP (GHS):	H302, Acute Tox. 4 oral		



- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
- US Tel.: +1 888 321 62 24 sales-us@mn-net.com



according to Regulations REACh 1907/2006/EC

REF: 91875	NANOCOLOR Phenol	Page: 4/11
Printing date: 15.05.2024	Date of issue: 07.02.2024	Version: 2.2.2.11
Substance name:	sodium chloride	
CAS No.:	7647-14-5	

 Substance rating:
 No criteria for classification or naming of chemical not required.

 Formula:
 NaCl

 Pseudonym (de):
 Kochsalz

 REACH Reg. No.:
 exempt, Annex V

 EC No.:
 231-598-3

 Concentration:
 80 - <100 %</td>

 acc. CLP (GHS):
 The criteria for classification are not fulfilled.

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.List of H and P phrases: see section 16.2.

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice.

4.1.1 After SKIN Contact

Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water. (If possible) use soap.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).

4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. ---

4.1.4 After ORAL Intake

After oral intake lots of water should be drunk after it has been ingested.

4.2 Most important symptoms and effects, both acute and delayed

There are no known delayed symptoms or effects for this product.

4.3 Indication of any immediate medical attention and special treatment needed

No additionally recommendations. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used. Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used. Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.1.2 Unsuitable extinguishing media no data available

5.2 Special hazards arising from the substance or mixture

Formation of hazardous and caustic vapour-air mixtures possible.

5.3 Advice for firefighters

No, for listed product.Product package burns like paper or plastic.

5.4 Additional information

no data available



- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



REF: 9	91875 g date: 15.05.2024	NANOCOLOR Phenol Date of issue: 07.02.2024	Page: 5/11 Version: 2.2.2.11
	ΓΙΟΝ 6: Accidental releas		
6.1	Personal precautions, protective equipment and emergency procedures Do not breathe vapours. Regular staff training is necessary.		
6.2	Environmental precautions PBT: not applicable vPvB: not applicable		
5.3	Methods and material for containment and cleaning up Bind any escaping liquid with inert absorbent. Collect small amounts of leaked liquid and flush with water into drains.		
6.4	Reference to other sections no data available		
SEC	ΓΙΟΝ 7: Handling and sto	rage	
7.1	Precautions for safe handling Handling in accordance with the test instruction, that comes with the product.		
7.2	•	e, including any incompatibilities ginal packaging from MACHEREY-NAGEL. Storage class (G 6.1C 3	Serman chemical industry): see chapte
7.2.1	Requirements for stock room	s and containers Iy closed during handling and storage.	
7.3	Specific end use(s) Product for analytical use.		

SECTION 8: Exposure controls /personal protection

8.1 **Control parameters**

22 g Phenol (I Chemical:	R2) sodium chlorid	le	CAS No.: 7647-14-5
DNEL:		2 _{inh} mg/m³ Level (for workers) - E/e respirable	CAS No.: 7632-00-0
DNEL:	Sodium carbor	nate 10 _{inh} mg/m³ Level (for workers) - E/e respirable	CAS No.: 497-19-8
DNEL:	4-nitroaniline Derived No-Effect	0.176 _{derm.} mg/kg bw/day; 0.201 _{inh.} mg/m³ Level (for workers) (1) mL/m³ / (6) mg/m³	CAS No.: 100-01-6
Short-term exp	oosure factor: prptive (H), respira	È/é respirable	excluded / (Y) certainly excluded
	me-weighted avera	TWA [skin] 1 mg/m of 8 hours, [STEL] Short-term exposure limit rela TWA [skin] 1 ppm / 6 mg/m ³	ted to a 15-minute period





according to Regulations REACh 1907/2006/EC

REF: 91875	NANOCOLOR Phenol	Page: 6/11
Printing date: 15.05.2024	Date of issue: 07.02.2024	Version: 2.2.2.11

8.2 **Exposure controls**

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

8.2.1 **Respiratory protection** No additional recommendations.

8.2.2 Skin protection / Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

8.2.3 Eve / Face Protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.

- 8.2.4 Skin protection
- Not necessary.

8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

8.2.6 Thermal hazards no data available

8.3 Limitation and monitoring of environmental exposure

Do not release product into environment.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

22 a Phenol (R2)

a) State of aggregation:	solid
b) Colour:	colourless
c) Odor:	odorless
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	6-7
I) Kinematic viscosity:	no data available
m) Solubility in water:	0-30 %
n) Dispersion coefficient (K o/w):	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density (air=1):	no data available
r) Particle size:	no data available

r) Particle size:

100 mL Phenol (R3)

a) State of aggregation:
b) Colour:
c) Odor:
d) Melting point:
e) Boiling point:
f) Flammability:
g) Explosive limits (lower / upper):
h) Flash point:
i) Flashing temperature:
j) Decomposition temperature:
k) pH value:
 Kinematic viscosity:
m) Solubility in water:
n) Dispersion coefficient (K _{o/w}):
o) Vapour pressure (20°C):
p) Specific gravity:
q) Relative vapour density (air=1):
r) Particle size:

liquid colourless odorless no data available 10-11 no data available 0-100 % no data available no data available no data available no data available no data available



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com

MACHEREY-NAGEL



according to Regulations REACh 1907/2006/EC

REF: 91875	NANOCOLOR Phenol	Page: 7/11
Printing date: 15.05.2024	Date of issue: 07.02.2024	Version: 2.2.2.11

9.2 Other information

9.2.1 Information on physical hazard classes no data available

9.2.2 Other safety-related parameters

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required.

SECTION 10: Stability and reactivity

- 10.1 Reactivity no further data available.
 10.2 Chemical stability
- 10.2 Chemical stability no known instability.
- **10.3 Possibility of hazardous reactions** No further data available.
- **10.4** Conditions to avoid Observe the storage temperature printed on it.
- 10.5 Incompatible materials no additional data available
- **10.6** Hazardous decomposition products In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on the hazard classes according regulation (EC) 1272/2008 Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

22 g Phenol (R2)Chemical:sodium chlorideTSCA Inventory:listedKorea Exist.Chem.Inventory:KE-31387LD50 orl rat :3000 mg/kg

CAS No.: 7647-14-5



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-ur@mn-net.com

Software: M2 V 6.1.5.0



DEACH 4007/0000/EC

	875	NANOCOLOR Phenol	Page: 8/11
Printing	date: 15.05.2024	Date of issue: 07.02.2024	Version: 2.2.2.1
	Observiced	- the second second	040 Nr. 7000 00 0
	Chemical: so TSCA Inventory:	odium nitrite listed	CAS No.: 7632-00-0
	Japan CSCL/PRTR:	not listed, Japan PDSCL: Deleterious substance	
	Japan ISHL:	not listed	
	Korea Exist.Chem.Inven	tory: KE-31546, >25% Toxic 97-1-167	
	LD50 orl rat :	85 mg/kg	
	LC_Low orl hmn: LC50 ihl rat:	71 mg/kg 0,0055 mg/L/4H	
	LD50 orl mus	214-216 mg/kg	
		er oral intake, impairments of health when ingested in sm	all quantities.
	100 mL Phenol (R3)		
		odium carbonate	CAS No.: 497-19-8
	TSCA Inventory:	listed	
	Korea Exist.Chem.Inven		
	LD50 _{orl rat} :	4090 mg/kg	
	LC_Low _{orl rat} : LC50 _{ihl rat} :	4000 mg/kg 2,300 mg/L/2H	
		2,000 mg/L/21	
	100 mL Phenol (R1)		
		nitroaniline	CAS No.: 100-01-6
	TSCA Inventory:	listed	
	Exposure Routes:	inhalation, skin absorption, ingestion, skin and/or ey	re contact
	Target Organs: Symptoms:	respiratory system, blood, heart, liver irritation nose, throat; cyanosis, ataxia; tachycardia,	tachyppaa: dysppaa (broathing difficulty):
	irritability; vomiting, diarr		tachyphea, dysphea (breathing difficulty),
	LD50 _{orl rat} :	750 mg/kg	
	TRGS 905 (DE):	K3A (4/5)	
1.2	Other hazards		
	Possible endocrine dis no data available	rupting effects	
	Other information no additional data availa	ble	
SECT	no additional data availa		
	no additional data availa		
	no additional data availa ION 12: Ecological i Toxicity	information	
	no additional data availa	information	
	no additional data availa ION 12: Ecological i Toxicity Following information is va 22 g Phenol (R2) Substance name: so	information alid for pure substances.	CAS-Nr.: 7647-14-5
	no additional data availa ION 12: Ecological i Toxicity Following information is va 22 g Phenol (R2) Substance name: so Water hazard class (DE	information alid for pure substances. Dividum chloride): 1	CAS-Nr.: 7647-14-5
	no additional data availa ION 12: Ecological i Toxicity Following information is va 22 g Phenol (R2) Substance name: so	information alid for pure substances.	CAS-Nr.: 7647-14-5
	no additional data availa ION 12: Ecological i Toxicity Following information is va 22 g Phenol (R2) Substance name: so Water hazard class (DE Storage class (VCI): Substance name: so	information alid for pure substances. dium chloride): 1 12-13 duium nitrite	CAS-Nr.: 7647-14-5 CAS-Nr.: 7632-00-0
SECTI 12.1	no additional data availa ION 12: Ecological i Toxicity Following information is va 22 g Phenol (R2) Substance name: so Water hazard class (DE Storage class (VCI): Substance name: so LC50 fish/96h :	information alid for pure substances. polium chloride): 1 12-13 polium nitrite 0.56-1.78 mg/L	
	no additional data availa ION 12: Ecological i Toxicity Following information is va 22 g Phenol (R2) Substance name: so Water hazard class (DE Storage class (VCI): Substance name: so LC50 fish/96h : EC50 daphnia/48h :	information alid for pure substances. polium chloride): 1 12-13 polium nitrite 0.56-1.78 mg/L 12.5-100 mg/L	
	no additional data availa ION 12: Ecological i Toxicity Following information is va 22 g Phenol (R2) Substance name: so Water hazard class (DE Storage class (VCI): Substance name: so LC50 fish/96h :	information alid for pure substances. polium chloride): 1 12-13 polium nitrite 0.56-1.78 mg/L 12.5-100 mg/L uda/72h : EC50/72 h: >100 mg/L	
	no additional data availa ION 12: Ecological i Toxicity Following information is va 22 g Phenol (R2) Substance name: so Water hazard class (DE Storage class (VCI): Substance name: so LC50 fish/96h : EC50 daphnia/48h : IC50 scenedesmus quadrica	information alid for pure substances. polium chloride): 1 12-13 polium nitrite 0.56-1.78 mg/L 12.5-100 mg/L uda/72h : EC50/72 h: >100 mg/L	
	no additional data availa ION 12: Ecological i Toxicity Following information is va 22 g Phenol (R2) Substance name: so Water hazard class (DE Storage class (VCI): Substance name: so LC50 fish/96h : EC50 daphnia/48h : IC50 scenedesmus quadrica Water hazard class (DE Storage class (VCI):	information alid for pure substances. pdium chloride): 1 12-13 pdium nitrite 0.56-1.78 mg/L 12.5-100 mg/L uda/72h : EC50/72 h: >100 mg/L): 3 WGK No.: 161	
	no additional data availa ION 12: Ecological i Toxicity Following information is va 22 g Phenol (R2) Substance name: so Water hazard class (DE Storage class (VCI): Substance name: so LC50 fish/96h : EC50 daphnia/48h : IC50 scenedesmus quadrica Water hazard class (DE Storage class (VCI): 100 mL Phenol (R3)	information alid for pure substances. pdium chloride): 1 12-13 pdium nitrite 0.56-1.78 mg/L 12.5-100 mg/L uda/72h : EC50/72 h: >100 mg/L): 3 WGK No.: 161	
	no additional data availa ION 12: Ecological i Toxicity Following information is va 22 g Phenol (R2) Substance name: sc Water hazard class (DE Storage class (VCI): Substance name: sc LC50 fish/96h : EC50 daphnia/48h : IC50 scenedesmus quadrica Water hazard class (DE Storage class (VCI): 100 mL Phenol (R3) Substance name: sc LC50 fish/96h :	Add for pure substances. add for pure substances. bdium chloride): 1 12-13 bdium nitrite 0.56-1.78 mg/L 12.5-100 mg/L uda/72h : EC50/72 h: >100 mg/L): 3 WGK No.: 161 6.1 B bdium carbonate 300 mg/L	CAS-Nr.: 7632-00-0
	no additional data availa ION 12: Ecological i Toxicity Following information is va 22 g Phenol (R2) Substance name: so Water hazard class (DE Storage class (VCI): Substance name: so LC50 fish/96h : EC50 daphnia/48h : IC50 scenedesmus quadrica Water hazard class (DE Storage class (VCI): 100 mL Phenol (R3) Substance name: so	information alid for pure substances. odium chloride): 1 12-13 odium nitrite 0.56-1.78 mg/L 12.5-100 mg/L uda/72h EC50/72 h: >100 mg/L): 3 WGK No.: 161 6.1 B odium carbonate 300 mg/L 265 mg/L	CAS-Nr.: 7632-00-0



FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



according to Regulations REACh 1907/2006/EC

REF: 91875 Printing date: 15.05.2024		NANOCOLOR Phenol	Page: 9/11
		Date of issue: 07.02.2024	Version: 2.2.2.1
	100 mL Phenol (R1) Substance name: 4-nitroaniline Water hazard class (DE): Storage class (VCI):	2 WGK No.: 0162 6.1 C	CAS-Nr.: 100-01-6
12.2	Persistence and degradability		
12.3	Bioaccumulative potential Substance name: Dispersion coefficient (K _{o/w}):	sodium nitrite -3,7	CAS-Nr.: 7632-00-0
12.4	Mobility in soil		
12.5	Results of PBT and vPvB asse This substance/mixture contains no com		bioaccumulative and toxic (PBT) or very persisten

12.6 Endocrine disrupting properties

no data available

12.7 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains.

SECTION 14: Transport information

14.1 - 14.4: No dangerous goods according the transport regulations

and very bioaccumulative (vPvB) at levels of 0.1% or higher.

14.5 Environmental hazards

none, contains only small quantities of hazardous substances

14.6 Special precautions for user not necessary

14.7 Carriage in bulk by sea in accordance with IMO instruments Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020

Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017 TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017

TRGS 220, National aspects when preparing safety data sheets, Jan 2017

TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017

BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012

MN leaflet/instructions for use, also at www.mn-net.com

If necessary, observe other country-specific regulations.

15.2 Chemical safety assessment

not necessary for these small amounts



DE Tel.: +49 24 21 969-0 info@mn-net.com

- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 - FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com



4007/0000/00

REF: 91875 Printing date: 15.05.2024		NANOCOLOR Phenol	Page: 10/11
		Date of issue: 07.02.2024	Version: 2.2.2.1
SECT	ION 16: Other	nformation	
16.1	• •	red to the last version .2.11 and 2.2.2.2 following changes were applied: - 9 substance data corrected	
16.2	List of H and P	bhrases	
16.2.1	List of relevant H H302 H319	H phrases Between versions 2.2.2.11 and 2.2.2.2 following changes were applied: - 9 sul Harmful if swallowed. Causes serious eye irritation.	ostance data corrected
6.2.2	List of relevant	P phrases	
16.3	Only for professional	restriction on use user. e of this product or test kit has a moderate hazardous potential.	
16.4	Directive 1999/92/EC atmospheres SUVA .CH, limit valu Regulation 790/2009 Regulation 453/2010 Regulation 487/2013 Regulation 1221/201	data lets on hazardous materials, 2021 Minimum requirements to improve the safety and health protection of workers at risk es in the air at work 2009, revised on 01/2009 EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st EU, adaptation of the REACH regulation 1907/2006/EG EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th A 5/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th	ATP) ATP)
	Regulation 1480/201 Regulation 521/2019 TRGS 900, German Regulation 217/2020 Regulation 878/2020 Regulation 1182/202 Regulation 643/2021 Regulation 849/2021	EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText 3/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13t EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ules of technology on limit values in the air at work, as of 03/2019 EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and sci EU, adaptation of Annex II of the REACH regulation 1907/2006/EG D/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and sci EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and sci EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and sci EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and sci EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and sci EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and sci	h ATP) ATP) entific progress (14th ATP) cientific progress (15th ATP) entific progress (16th ATP) entific progress (17th ATP)

revisions/updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary 2014-04 adjustment according Regulation 487/2013/EU 2016-03 adjustment according Regulation 1221/2015/EU

> 2017-11 adjustment according the ECHA registration dossier 2022-11 adjustment according Regulation 878/2020/EU

16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.6 Legend / Abbreviations

according acc. ADR:

Act:

BAT:

- Convention concerning the International Carriage of Dangerous Goods by Road acute biological workplace tolerance value Cargo Aircraft Only
- CAO: carcinogen Carc.
- CAS: Chemical Abstracts Service
- Classification, Labelling and Packaging regulation CLP:
- CMR: carcinogen, mutagen, reproduction toxic
- Corr: corrosive
- COD: chemical oxigen demand



MACHEREY-NAGEL GmbH & Co. KG DE Tel.: +49 24 21 969-0 info@mn-net.com Valencienner Str. 11 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com 52355 Düren · Germany FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com www.mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com

HEREY-NAGEI \mathbf{N}

Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 91875 NANOCOLOR Phenol	Page: 11/11
Printing date: 15.05.2024 Date of issue: 07.02.2024	Version: 2.2.2.11

CSCL:	Chemical Substance Control Law (Jp)
Dam:	damage
DNEL:	Derived No-Effect Level (for workers)
derm:	dermal
dog:	dog
EC10:	Concentration causing a toxic effect in 10% of the test organisms
EC:	European Community
EC-Nr:	Substance number of the EC substance inventory
EmS:	Guide to accident management measures on ships
EU:	European Union
fish:	fish (not spezified)
GHS:	Global Harmonized System of Classification and Labeling of Chemicals
gpg:	guinea pig
ICAO:	International Civil Aviation Organization
ihl:	inhaled
IMDG:	International Maritime Dangerous Goods Code
intrav:	intravenous
ipt:	intraperitonaeal
ISHL:	Industrial Safety and Health Law (Jp)
LC50:	letale concentration 50%
LD50:	letale dosis 50%
leuciscus idus	
MAK:	:: fisch, ide, orfe maximum workplace concentration
MAR. Met:	Metall
mus:	mouse
Muta:	mutagen
NIOSH:	National Institute for Occupational Safety and Health (US)
NRD:	Non-rapidly degradable
onchorhynchu	
orl:	oral
OSHA:	Occupational Safety and Health Administration
PAX:	transport on passenger planes allowed
PBT:	persistent, bioaccumulating, toxic substance
pH:	pH value
pimephales p	
PNEC:	Predicted No Effected Concentration
PROC 15:	Process category 'for laboratory use'
PRTR:	Law for PRTR and Promotion of Chemical Management (Jp)
PVC:	polyvinyl chloride
quail:	bird, quail
rat:	rat
rbt:	rabbit
RD:	rapidly degradable
RE:	repeated
REACh:	Registration, Evaluation, Authorisation and Restriction of Chemicals
REF:	item number, reference number
Reg.No.:	rRegistration number
Repr:	harmful to reproduction
Resp:	respiratory
RIP:	REACH Implementations Projects
scu:	sub cutan
SDS:	safety data sheet
Sens:	sensitisation
STEL:	short term exposure limit
STOT:	Specific Target Organ Toxicity
SVHC:	Substance of Very High Concern
t/a:	tons per year
TCCA:	Toxic Chemicals Control Act (S. Korea)
Tox:	toxic
TSCA:	The Toxic Substances Control Act (US)
TWA:	time weighted average
TRGS:	technical regulations (DE)
vPvB:	very persistent, very bioaccumulating substance
Training a	duioo

16.7 **Training advice**

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

MACHEREY-NAGEL GmbH & Co. KG DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com