# **MACHEREY-NAGEL**



# **Safety Data Sheet**

# according to Regulations REACh 1907/2006/EC

NANOCOLOR Reagent for lime precipitation	Page: 1/8
Date of issue: 14.11.2022	Version: 2.2.2.2
	<b>o i i</b>

# SECTION 1: Identification of the substance/mixture and of the company

	Due du et identifien		
1.1	Product identifier	918939	
	Product name	NANOCOLOR Reagent for lime precipitation	
	•	the substance(s) does not exist because the annual tonnage does not require registration or s excluded from registration.	
1.2	<b>Relevant identified uses</b> Product for analytical use. Exposure Scenario Class	of the substance or mixture and uses advised against sification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 s integrated into sections 1-16.	
1.3	Details of the supplier of	f the safety data sheet	
	Manufactured by: MACHEREY-NAGEL GmbH Valencienner Str. 11, 52355 Phone: +49 2421 969 0		
1.4	Emergency telephone nu Information not necessary.	umber	
	You find our current versions of SD		
		OS in Internet: <a href="http://www.mn-net.com/SDS">http://www.mn-net.com/SDS&gt;</a>	
SECT	ION 2: Hazard identific	<pre>stup.//www.init-tet.com/ob/o&gt;</pre>	
SECT 2.0	ION 2: Hazard identific	<pre>stup.//www.init-tet.com/ob/o&gt;</pre>	
	ION 2: Hazard identific	cation	
	ION 2: Hazard identific	cation	
2.0	ION 2: Hazard identific Classification of the com Hazard identification	cation nplete product according to Regulation (EC) 1272/2008 - Hazard classes/categories	
	ION 2: Hazard identific Classification of the com Hazard identification Classification of the sub	cation nplete product according to Regulation (EC) 1272/2008 - Hazard classes/categories ostance or mixture according to Regulation (EC) 1272/2008	
2.0	ION 2: Hazard identific Classification of the com Hazard identification	cation nplete product according to Regulation (EC) 1272/2008 - Hazard classes/categories ostance or mixture according to Regulation (EC) 1272/2008 ion)	
2.0	ION 2: Hazard identific Classification of the com Hazard identification Classification of the sub	cation nplete product according to Regulation (EC) 1272/2008 - Hazard classes/categories ostance or mixture according to Regulation (EC) 1272/2008	
2.0	ION 2: Hazard identific Classification of the com <u>Hazard identification</u> Classification of the sub 100 g (R1) (lime precipitati	cation nplete product according to Regulation (EC) 1272/2008 - Hazard classes/categories ostance or mixture according to Regulation (EC) 1272/2008 ion)	
2.0	ION 2: Hazard identific Classification of the com Hazard identification Classification of the sub 100 g (R1) (lime precipitati Signal word	cation nplete product according to Regulation (EC) 1272/2008 - Hazard classes/categories ostance or mixture according to Regulation (EC) 1272/2008 ion) Do not need labelling as hazardous -	
2.0	ION 2: Hazard identific Classification of the com Hazard identification Classification of the sub 100 g (R1) (lime precipitati Signal word No hazard class List of H phrases: see section 16	cation nplete product according to Regulation (EC) 1272/2008 - Hazard classes/categories ostance or mixture according to Regulation (EC) 1272/2008 ion) Do not need labelling as hazardous -	
2.0	ION 2: Hazard identific Classification of the com Hazard identification Classification of the sub 100 g (R1) (lime precipitati Signal word No hazard class List of H phrases: see section 16	cation nplete product according to Regulation (EC) 1272/2008 - Hazard classes/categories ostance or mixture according to Regulation (EC) 1272/2008 ion) Do not need labelling as hazardous -	

100 g (R1) (lime precipitation) Do not need labelling as hazardous Signal word: -

### Label elements of the complete product

Signal word: -





## according to Regulations REACh 1907/2006/EC

REF: 918939	NANOCOLOR Reagent for lime precipitation	Page: 2/8
Printing date: 15.05.2024	Date of issue: 14.11.2022	Version: 2.2.2.2

#### 2.3 Other hazards

Possible hazards from physicochemical properties

According to our current status of knowledge and experience we state, that this product does not contain any substances, which - in accordance with EC regulations 1272/2008/EC, 1907/2006/EC and German Regulations for Hazardous goods - have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit. An individual package has considerably less hazardous potential.

Information pertaining to particular risks to human and possible symptoms

Information pertaining to particular risks to the environment

PBT:not applicablevPvB:not applicable

Possible endocrine disrupting effects no data available

### **SECTION 3: Composition / information on ingredients**

#### 3.1 Substances or 3.2 Mixtures

100 g (R1) (lime precipi Substance nam CAS No.:	
Substance ratir Formula: REACH Reg. N EC No.: Concentration: acc. CLP (GHS	Na <sub>2</sub> SO <sub>4</sub> lo.: 01-2119519226-43-xxxx 231-820-9 80 - <99 %

#### 3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.List of H and P phrases: see section 16.2.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately.

- 4.1.1
   After SKIN Contact Not necessary.

   4.1.2
   After EYE Contact
- Not necessary.
- 4.1.3 After INHALATION of vapours Not necessary. ---
- 4.1.4 After ORAL Intake Not necessary.
- **4.2 Most important symptoms and effects, both acute and delayed** There are no known delayed symptoms or effects for this product.
- **4.3** Indication of any immediate medical attention and special treatment needed No additionally recommendations. ---

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### 5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used. Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used. Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.



- DE
   Tel.: +49 24 21 969-0
   info@mn-net.com

   CH
   Tel.: +41 62 388 55 00
   sales-ch@mn-net.com

   FB
   Tel.: +33 388 68 22 68
   sales-fr@mn-net.com
- US Tel.: +1 888 321 62 24 sales-us@mn-net.com



# according to Regulations REACh 1907/2006/EC

REF: 9 Printing	g date: 15.05.2024	NANOCOLOR Reagent for lime precipitation Date of issue: 14.11.2022	Page: 3/8 Version: 2.2.2.2
	<u> </u>		
5.1.2	Unsuitable extinguishing media no data available		
5.2	Special hazards arising from None.	the substance or mixture	
5.3	Advice for firefighters		
	No, for listed product.Product package	burns like paper or plastic.	
5.4	Additional information no data available		
SECT	FION 6: Accidental release	measures	
6.1	Personal precautions, protec Do not breathe vapours. Not necessary	tive equipment and emergency procedures	
6.2	Environmental precautionsPBT:not applicablevPvB:not applicable		
6.3	Methods and material for con Clean working area with water. Flush u	• •	
6.4	Reference to other sections no data available		
SECI	ΓΙΟΝ 7: Handling and stora	ge	
7.1	Precautions for safe handling Handling in accordance with the test in:		
7.2	Safe storage is guaranteed in the origin	ncluding any incompatibilities nal packaging from MACHEREY-NAGEL. Storage class (German	chemical industry): see chap
	12.1 Storage class (VCI): Water hazard class (DE):	12 1	
7.2.1	<b>Requirements for stock rooms a</b> Keep original product packages tightly		
7.3	Specific end use(s) Product for analytical use.		
SECI	FION 8: Exposure controls	/personal protection	
B.1	Control parameters		
	<b>100 g (R1) (lime precipitation)</b> Chemical: <i>sodium sulfate</i>	CAS No.: 7	757-82-6
8.2	Exposure controls Not necessary.Good ventilation and ex	traction system in the room, floor resistant to chemicals with floor	drainage and washing facilitie
3.2.1	Respiratory protection Not necessary		
3.2.2	Skin protection / Hand protectio Not necessary.	n	
3.2.3	Eye / Face Protection Not necessary.		
8.2.4	Skin protection Not necessary.		
	Personal hygiene		





# according to Regulations REACh 1907/2006/EC

REF: 918939	NANOCOLOR Reagent for lime precipitation	Page: 4/8
Printing date: 15.05.2024	Date of issue: 14.11.2022	Version: 2.2.2.2
Information not nec	scon/	
	ssary.	
8.2.6 Thermal hazards no data available		
8.3 Limitation and mo Information not necessa	nitoring of environmental exposure	
SECTION 9: Physical a	nd chemical properties	
9.1 Information on ba	ic physical and chemical properties	
<b>100 g (R1) (lime pr</b> a) State of aggrega b) Colour:	on: powder (solid)	
c) Odor:	colourless odorless	
d) Melting point:	no data available	
e) Boiling point:	no data available	
f) Flammability:	no data available	
g) Explosive limits (		
h) Flash point:	no data available	
<ul><li>i) Flashing tempera</li><li>j) Decomposition te</li></ul>		
k) pH value:	no data available	
I) Kinematic viscosi		
m) Solubility in wate		
n) Dispersion coeffi		
o) Vapour pressure		
p) Specific gravity:	no data available	
q) Relative vapour o		
r) Particle size:	no data available	
9.2 Other information		
9.2.1 Information on ph no data available	sical hazard classes	
0.2.2 Other estatic relation		

#### 9.2.2 Other safety-related parameters

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required.

no data available

## **SECTION 10: Stability and reactivity**

- 10.1 Reactivity
- None
- 10.2 Chemical stability no known instability.
- 10.3 Possibility of hazardous reactions None.
- 10.4 Conditions to avoid

Observe the storage temperature printed on it. Not known.

10.5 Incompatible materials

Not known.

#### **10.6** Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.



DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com

# MACHEREY-NAGEL



# Safety Data Sheet

## according to Regulations REACh 1907/2006/EC

REF: 918939	NANOCOLOR Reagent for lime precipitation	Page: 5/8
Printing date: 15.05.2024	Date of issue: 14.11.2022	Version: 2.2.2.2

### **SECTION 11: Toxicological information**

## 11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

100 g (R1) (lime precipitation)Chemical:sodium sulfateTSCA Inventory:listedKorea Exist.Chem.Inventory:KE-31609LD50 orl rat :> 2000 mg/kg

#### 11.2 Other hazards

Possible endocrine disrupting effects no data available

Other information no additional data available

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Following information is valid for pure substances.

**100 g (R1) (lime precipitation)** Substance name: sodium sulfate LC50 fish/96h : EC50 daphnia/48h : Water hazard class (DE): Storage class (VCI):

9 13,5 95h, lepomis macrochirus g/L 4547 <sub>100h</sub> mg/L 1 WGK No.: 0286 12-13 CAS-Nr.: 7757-82-6

CAS No.: 7757-82-6

#### 12.2 Persistence and degradability

12.3 Bioaccumulative potential

#### 12.4 Mobility in soil

- 12.6 Endocrine disrupting properties no data available
- 12.7 Other adverse effects
  - no additional data available

### **SECTION 13: Disposal considerations**

Not necessary.

13.1 Waste treatment methods

GENERAL: Empty solids into municipal waste, empty liquids diluted into drains.

## **SECTION 14: Transport information**

- 14.1 14.4 Not necessary
- 14.5 Environmental hazards

none



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com 
 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com

<sup>12.5</sup> Results of PBT and vPvB assessment This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



## according to Regulations REACh 1907/2006/EC

REF: 918939	NANOCOLOR Reagent for lime precipitation	Page: 6/8
Printing date: 15.05.2024	Date of issue: 14.11.2022	Version: 2.2.2.2

#### 14.6 Special precautions for user

not necessary

**14.7** Carriage in bulk by sea in accordance with IMO instruments Not applicable.

## **SECTION 15: Regulatory information**

**15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020 Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017 MN leaflet/instructions for use, also at www.mn-net.com If necessary, observe other country-specific regulations.

# 15.2 Chemical safety assessment

no data available

## **SECTION 16: Other information**

16.1 Changes compared to the last version

in preparation

16.2.1

### 16.2 List of H and P phrases

List of relevant H phrases H in preparation

#### 16.2.2 List of relevant P phrases

16.3 Recommended restriction on use

#### 16.4 Sources of key data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021

Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres

SUVA .CH, limit values in the air at work 2009, revised on 01/2009

Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)

Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG

Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP) Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)

Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)

Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP) Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP) Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP)

TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019

Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP) Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG

Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP) Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP) Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP) Regulation 692/2022/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP) Regulation 692/2022/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (18th ATP)

#### revisions/updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary 2014-04 adjustment according Regulation 487/2013/EU 2016-03 adjustment according Regulation 1221/2015/EU

2017-11 adjustment according the ECHA registration dossier 2022-11 adjustment according Regulation 878/2020/EU

#### 16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

- DE Tel.: +49 24 21 969-0 info@mn-net.com
- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



## according to Regulations REACh 1907/2006/EC

REF: 918939	NANOCOLOR Reagent for lime precipitation	Page: 7/8
Printing date: 15.05.2024	Date of issue: 14.11.2022	Version: 2.2.2.2

without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

#### 16.6 Legend / Abbreviations

Legenu / A	
acc:	according
ADR:	Convention concerning the International Carriage of Dangerous Goods by Road
Act:	acute
BAT:	biological workplace tolerance value
CAO:	Cargo Aircraft Only
Carc:	carcinogen
CAS:	Chemical Abstracts Service
CLP:	Classification, Labelling and Packaging regulation
CMR:	carcinogen, mutagen, reproduction toxic
Corr:	corrosive
COD:	chemical oxigen demand
CSCL:	Chemical Substance Control Law (Jp)
Dam:	damage
DNEL:	Derived No-Effect Level (for workers)
derm:	dermal
dog:	dog
EC10:	Concentration causing a toxic effect in 10% of the test organisms
EC:	European Community
EC-Nr:	Substance number of the EC substance inventory
EmS:	Guide to accident management measures on ships
EU:	European Union
fish:	fish (not spezified)
GHS:	Global Harmonized System of Classification and Labeling of Chemicals
gpg:	guinea pig
ICAO:	International Civil Aviation Organization
ihl:	inhaled
IMDG:	International Maritime Dangerous Goods Code
intrav:	intravenous
ipt:	intraperitonaeal
ISHL:	Industrial Safety and Health Law (Jp)
LC50:	letale concentration 50%
LD50:	letale dosis 50%
leuciscus idus	
MAK:	maximum workplace concentration
Met:	Metall
mus:	mouse
Muta:	mutagen
NIOSH:	National Institute for Occupational Safety and Health (US)
NRD:	Non-rapidly degradable
onchorhynchu	
orl:	oral
OSHA:	Occupational Safety and Health Administration
PAX:	transport on passenger planes allowed
PBT:	persistent, bioaccumulating, toxic substance
pH:	pH value
pimephales pr	
PNEC:	Predicted No Effected Concentration
PROC 15:	Process category 'for laboratory use'
PRTR:	Law for PRTR and Promotion of Chemical Management (Jp)
PVC:	polyvinyl chloride
quail:	bird, quail
rat:	rat
rbt:	rabbit
RD:	rapidly degradable
RE:	
	repeated Registration, Evaluation, Authorisation and Restriction of Chemicals
REACh:	
REF:	item number, reference number
Reg.No.:	rRegistration number
Repr:	harmful to reproduction
Resp:	respiratory
RIP:	REACH Implementations Projects
SCU:	sub cutan
SDS:	safety data sheet
Sens:	sensitisation



 MACHEREY-NAGEL GmbH & Co. KG
 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 Valencienner Str. 11
 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 52355 Düren · Germany
 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

 www.mn-net.com
 US
 Tel.: +1 888 321 62 24
 sales-us@mn-net.com



# according to Regulations REACh 1907/2006/EC

Printing date: 15.05.2024         Date of issue: 14.11.2022         Version: 2.2.2.2	REF: 918939	NANOCOLOR Reagent for lime precipitation	Page: 8/8
	Printing date: 15.05.2024	Date of issue: 14.11.2022	Version: 2.2.2.2

STEL:	short term exposure limit
STOT:	Specific Target Organ Toxicity
SVHC:	Substance of Very High Concern
t/a:	tons per year
TCCA:	Toxic Chemicals Control Act (S. Korea)
Tox:	toxic
TSCA:	The Toxic Substances Control Act (US)
TWA:	time weighted average
TRGS:	technical regulations (DE)
TRGS: vPvB:	technical regulations (DE) very persistent, very bioaccumulating substance

#### 16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
- US Tel.: +1 888 321 62 24 sales-us@mn-net.com