

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985005

NANOCOLOR Ammonium 50

Page: 1/11

Printing date: 15.05.2024

Date of issue: 01.02.2024

Version: 2.2.3.5

SECTION 1: Identification of the substance/mixture and of the company

1.1 Product identifier

REF 985005
Product name NANOCOLOR Ammonium 50

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

20 x 7 mL Ammonium 10-200 (R0)
1 x 20x 14 mg NANOFIX Ammonium (R2) UFI: 41HU-03AU-H20P-9Q9R

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0
The exposure scenario is integrated into sections 1-16.

Uses advised against

not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11, 52355 Düren, Germany
Phone: +49 2421 969 0

E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.

DE: Gemeinsames Gif tinformat ionszentrum (GGIZ)

99089 Erfurt tel. +49 361 730 730, <<https://www.ggiz-erfurt.de>>

You find our current versions of SDS in Internet:

<<http://www.mn-net.com/SDS>>

SECTION 2: Hazard identification

2.0 Classification of the complete product according to Regulation (EC) 1272/2008



GHS07

Signal word WARNING

Hazard identification **Hazard classes/categories**

H302 Acute Tox. 4 oral

2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

7 mL Ammonium 10-200 (R0)

Signal word Do not need labelling as hazardous
-

No hazard class

20x 14 mg NANOFIX Ammonium (R2)



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985005
 Printing date: 15.05.2024

NANOCOLOR Ammonium 50
 Date of issue: 01.02.2024

Page: 2/11
 Version: 2.2.3.5



GHS07

Signal word: WARNING

Hazard identification	Hazard classes/categories
H302	Acute Tox. 4 oral

List of H phrases: see section 16.2

2.2 Label elements according regulation (EC) 1272/2008

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identifier(s) (EU 1272/2008 Annex I - 1.5.1.2). Inner packages up to 10 mL need max. 2 symbols (Annex I - 1.5.2.4.1 / 2). Harmful chemicals/mixtures with signal word: **WARNING** must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2).

7 mL Ammonium 10-200 (R0)
 Do not need labelling as hazardous
 Signal word: -

20x 14 mg NANOFIX Ammonium (R2)



GHS07

Signal word: WARNING

Label elements of the complete product



GHS07

Signal word: WARNING

2.3 Other hazards

Possible hazards from physicochemical properties
 no data available

Information pertaining to particular risks to human and possible symptoms
 Cause after oral intake, impairments of health when ingested in small quantities.

Information pertaining to particular risks to the environment
PBT: not applicable
vPvB: not applicable

Possible endocrine disrupting effects
 no data available

SECTION 3: Composition / information on ingredients

3.1 Substances or 3.2 Mixtures

7 mL Ammonium 10-200 (R0)



MACHEREY-NAGEL GmbH & Co. KG
 Valencienner Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985005	NANOCOLOR Ammonium 50	Page: 3/11
Printing date: 15.05.2024	Date of issue: 01.02.2024	Version: 2.2.3.5

Substance name: *sodium hydroxide solution*
 CAS No.: 1310-73-2

Substance rating: H314, Skin Corr. 1 A
 Formula: NaOH•H₂O
 Pseudonym (de): verdünnte Natronlauge
 REACH Reg. No.: 01-2119457892-27-xxxx
 EC No.: 215-185-5

Specific concentration limit: Eye Irrit. 2; H319: 0,5 % ≤ C < 2 % - Skin Corr. 1A; H314: C ≥ 5 % - Skin Corr. 1B;
 H314: 2 % ≤ C < 5 % - Skin Irrit. 2; H315: 0,5 % ≤ C < 2 %
 Concentration: 0,1 - <0,5 %
 acc. CLP (GHS): The criteria for classification are not fulfilled.

Indice No.: 011-002-00-6

Substance name: *sodium salicylate*
 CAS No.: 54-21-7

Substance rating: H302, Acute Tox. 4 oral, H319, Eye Irrit. 2, H361, Repr. 2, H361d, Repr. 2
 Formula: C₇H₅NaO₃
 REACH Reg. No.: 01-2119918289-28-xxxx
 EC No.: 200-198-0
 Concentration: 0,1 - <0,3 %
 acc. CLP (GHS): The criteria for classification are not fulfilled.

20x 14 mg NANOFIX Ammonium (R2)

Substance name: *sodium nitroprusside*
 CAS No.: 13755-38-9

Substance rating: H301, Acute Tox. 3 oral
 Formula: Na₂[Fe(CN)₅NO]₂•2H₂O
 Pseudonym (de): Natriumpentacyanonitrosylferrat(II)
 EC No.: 238-373-9
 Concentration: 15 - <33 %
 acc. CLP (GHS): H302, Acute Tox. 4 oral

Substance name: *sodium nitroprusside*
 CAS No.: 13755-38-9

Substance rating: H301, Acute Tox. 3 oral
 Formula: Na₂[Fe(CN)₅NO]₂•2H₂O
 Pseudonym (de): Natriumpentacyanonitrosylferrat(II)
 EC No.: 238-373-9
 Concentration: 5 - <15 %
 acc. CLP (GHS): The criteria for classification are not fulfilled.

Substance name: *dichloroisocyanuric acid, Na salt*
 CAS No.: 2893-78-9

Substance rating: H272, Ox. Liq. 2, H302, Acute Tox. 4 oral, H319, Eye Irrit. 2, H335, resp. irrit. STOT SE 3, H410, Aquatic Chronic 1, EUH031, not defined
 Formula: C₃Cl₂N₃NaO₃
 Pseudonym (de): 1,3-Dichlor-5H-(1,3,5)-triazin-2,4,6-trion
 REACH Reg. No.: 01-2119489371-33-xxxx
 EC No.: 220-767-7

Concentration: 3 - <10 %
 acc. CLP (GHS): The criteria for classification are not fulfilled.

Indice No.: 613-030-01-7

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%. List of H and P phrases: see section 16.2.



Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985005

NANOCOLOR Ammonium 50

Page: 4/11

Printing date: 15.05.2024

Date of issue: 01.02.2024

Version: 2.2.3.5

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice.

4.1.1 After SKIN Contact

Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water. (If possible) use soap.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).

4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. ---

4.1.4 After ORAL Intake

After oral intake lots of water should be drunk after it has been ingested.

4.2 Most important symptoms and effects, both acute and delayed

There are no known delayed symptoms or effects for this product.

4.3 Indication of any immediate medical attention and special treatment needed

No additionally recommendations. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used. Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.1.2 Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

Formation of hazardous and caustic vapour-air mixtures possible.

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

5.4 Additional information

no data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Regular staff training is necessary.

6.2 Environmental precautions

PBT: not applicable
vPvB: not applicable

6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent.
Collect small amounts of leaked liquid and flush with water into drains.

6.4 Reference to other sections

no data available



Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985005

NANOCOLOR Ammonium 50

Page: 5/11

Printing date: 15.05.2024

Date of issue: 01.02.2024

Version: 2.2.3.5

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product. Use a safety bottle when shaking test tubes.

7.2 Conditions for safe storage, including any incompatibilities

Safe storage is guaranteed in the original packaging from MACHEREY-NAGEL. Storage class (German chemical industry): see chapter 12.1

Storage class (VCI): 6.1B

Water hazard class (DE): 3

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls /personal protection

8.1 Control parameters

20x 14 mg NANOFIX Ammonium (R2)

Chemical: *sodium nitroprusside*

CAS No.: 13755-38-9

Chemical: *dichloroisocyanuric acid, Na salt*

CAS No.: 2893-78-9

NIOSH: not listed

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

7 mL Ammonium 10-200 (R0)

Chemical: *sodium hydroxide solution*

CAS No.: 1310-73-2

Chemical: *sodium salicylate*

CAS No.: 54-21-7

DNEL: 1,32 mg/m³

DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 0,0413 mg/L

PNEC = Predicted No Effect Concentration

8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory protection

No additional recommendations.

8.2.2 Skin protection / Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

8.2.3 Eye / Face Protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.

8.2.4 Skin protection

Not necessary.

8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

8.2.6 Thermal hazards

no data available

8.3 Limitation and monitoring of environmental exposure

Do not release product into environment.



Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985005

NANOCOLOR Ammonium 50

Page: 6/11

Printing date: 15.05.2024

Date of issue: 01.02.2024

Version: 2.2.3.5

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

20x 14 mg NANOFIX Ammonium (R2)

a) State of aggregation:	powder (solid)
b) Colour:	rose
c) Odor:	chloric
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	5-7
l) Kinematic viscosity:	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient (K _{o/w}):	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density (air=1):	no data available
r) Particle size:	no data available

7 mL Ammonium 10-200 (R0)

a) State of aggregation:	liquid
b) Colour:	colourless
c) Odor:	odorless
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	12-13
l) Kinematic viscosity:	no data available
m) Solubility in water:	0-100 %
n) Dispersion coefficient (K _{o/w}):	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density (air=1):	no data available
r) Particle size:	no data available

9.2 Other information

9.2.1 Information on physical hazard classes

no data available

9.2.2 Other safety-related parameters

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required.

□ □

SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

10.2 Chemical stability

no known instability.



Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985005	NANOCOLOR Ammonium 50	Page: 7/11
Printing date: 15.05.2024	Date of issue: 01.02.2024	Version: 2.2.3.5

10.3 Possibility of hazardous reactions

No further data available.

10.4 Conditions to avoid

Observe the storage temperature printed on it.

10.5 Incompatible materials

no additional data available

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

20x 14 mg NANOFIX Ammonium (R2)

Chemical: *sodium nitroprusside* CAS No.: 13755-38-9
 TSCA Inventory: listed (CAS 14402-89-2)
 Korea Exist.Chem.Inventory: not listed
 LD50 orl rat : 99 mg/kg
 LC_Low orl rat : 20 mg/kg
 Acute Effects: Cause after oral intake, impairments of health when ingested in small quantities.

Chemical: *dichloroisocyanuric acid, Na salt* CAS No.: 2893-78-9
 TSCA Inventory: listed California Proposition 65 List: not listed
 Australia NICNAS: not listed Canada CEPA 1999: DSL Yes
 Japan CSCL/PRTR: not listed, Japan PDSCL: not listed
 Japan ISHL: not listed
 South Korea TCCA: not listed
 Korea Exist.Chem.Inventory: KE-10215, >25% Toxic 2014-1-688
 LD50 orl rat : 550-1600 mg/kg
 LC_Low orl hmn : 3570 mg/kg

7 mL Ammonium 10-200 (R0)

Chemical: *sodium hydroxide solution* CAS No.: 1310-73-2
 TSCA Inventory: listed California Proposition 65 List: not listed
 Exposure Routes: inhalation, ingestion, skin and/or eye contact
 Target Organs: Eyes, skin, respiratory system
 Symptoms: -
 Japan CSCL/PRTR: not listed, Japan PDSCL: not listed
 Japan ISHL: listed ≥1,0%/≥1,0% SDS required
 Korea Exist.Chem.Inventory: KE-31487
 LD50 orl rat : [< 1%] > 50000 mg/kg
 LD50 orl mus : [< 1%] > 4000 mg/kg

Chemical: *sodium salicylate* CAS No.: 54-21-7
 TSCA Inventory: listed
 Korea Exist.Chem.Inventory: KE-20384
 LD50 orl rat : 1000 mg/kg
 LC_Low orl hmn : 700 mg/kg

11.2 Other hazards

Possible endocrine disrupting effects

no data available

Other information

no additional data available



Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985005
 Printing date: 15.05.2024

NANOCOLOR Ammonium 50
 Date of issue: 01.02.2024

Page: 8/11
 Version: 2.2.3.5

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances.

20x 14 mg NANOFIX Ammonium (R2)

Substance name: *sodium nitroprusside* CAS-Nr.: 13755-38-9
 Water hazard class (DE): 3
 Storage class (VCI): 6.1 B

Substance name: *dichloroisocyanuric acid, Na salt* CAS-Nr.: 2893-78-9
 Water hazard class (DE): 3
 Storage class (VCI): 13

7 mL Ammonium 10-200 (R0)

Substance name: *sodium hydroxide solution* CAS-Nr.: 1310-73-2
 LC50 *leuciscus idus*/96h : 35-189 mg/L
 LC50 *fish*/96h : 45.4 mg/L
 EC50 *daphnia*/48h : >100 mg/L
 Water hazard class (DE): nwg WGK No.: 0142
 Storage class (VCI): 12-13

Substance name: *sodium salicylate* CAS-Nr.: 54-21-7
 PNEC (fresh water): 0,0413 mg/L
 PNEC = Predicted No Effect Concentration = concentration at which no effect on the environment is expected
 Water hazard class (DE): 1
 Storage class (VCI): 12-13

12.2 Persistence and degradability

12.3 Bioaccumulative potential

12.4 Mobility in soil

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

no data available

12.7 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

Not necessary, see above.

SECTION 14: Transport information

14.1 - 14.4: No dangerous goods according the transport regulations

14.5 Environmental hazards

none, contains only small quantities of hazardous substances

14.6 Special precautions for user

not necessary



MACHEREY-NAGEL GmbH & Co. KG
 Valencienner Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985005

NANOCOLOR Ammonium 50

Page: 9/11

Printing date: 15.05.2024

Date of issue: 01.02.2024

Version: 2.2.3.5

14.7 Carriage in bulk by sea in accordance with IMO instruments

Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020
 Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017
 TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017
 TRGS 220, National aspects when preparing safety data sheets, Jan 2017
 TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017
 BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012
 MN leaflet/instructions for use, also at www.mn-net.com
 If necessary, observe other country-specific regulations.

15.2 Chemical safety assessment

not necessary for these small amounts

SECTION 16: Other information

16.1 Changes compared to the last version

Between versions 2.2.3.5 and 2.2.2.2 following changes were applied: - 1 composition data corrected - 3 substance data corrected

16.2 List of H and P phrases

16.2.1 List of relevant H phrases

H Between versions 2.2.3.5 and 2.2.2.2 following changes were applied: - 1 composition data corrected - 3 substance data corrected
 H302 Harmful if swallowed.

16.2.2 List of relevant P phrases

16.3 Recommended restriction on use

Only for professional user.
 An individual package of this product or test kit has a moderate hazardous potential.

16.4 Sources of key data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021
 Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres
 SUVA .CH, limit values in the air at work 2009, revised on 01/2009
 Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)
 Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG
 Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)
 Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)
 Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)
 Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP)
 Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP)
 Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP)
 TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019
 Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP)
 Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG
 Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP)
 Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP)
 Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)
 Regulation 692/2022/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (18th ATP)

revisions/updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary
 2014-04 adjustment according Regulation 487/2013/EU
 2016-03 adjustment according Regulation 1221/2015/EU

2017-11 adjustment according the ECHA registration dossier
 2022-11 adjustment according Regulation 878/2020/EU



MACHEREY-NAGEL GmbH & Co. KG
 Valenciener Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985005	NANOCOLOR Ammonium 50	Page: 10/11
Printing date: 15.05.2024	Date of issue: 01.02.2024	Version: 2.2.3.5

16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.6 Legend / Abbreviations

acc:	according
ADR:	Convention concerning the International Carriage of Dangerous Goods by Road
Act:	acute
BAT:	biological workplace tolerance value
CAO:	Cargo Aircraft Only
Carc:	carcinogen
CAS:	Chemical Abstracts Service
CLP:	Classification, Labelling and Packaging regulation
CMR:	carcinogen, mutagen, reproduction toxic
Corr:	corrosive
COD:	chemical oxigen demand
CSCL:	Chemical Substance Control Law (Jp)
Dam:	damage
DNEL:	Derived No-Effect Level (for workers)
derm:	dermal
dog:	dog
EC10:	Concentration causing a toxic effect in 10% of the test organisms
EC:	European Community
EC-Nr:	Substance number of the EC substance inventory
EmS:	Guide to accident management measures on ships
EU:	European Union
fish:	fish (not spezified)
GHS:	Global Harmonized System of Classification and Labeling of Chemicals
gpg:	guinea pig
ICAO:	International Civil Aviation Organization
ihl:	inhaled
IMDG:	International Maritime Dangerous Goods Code
intrav:	intravenous
ipt:	intraperitoneal
ISHL:	Industrial Safety and Health Law (Jp)
LC50:	letale concentration 50%
LD50:	letale dosis 50%
leuciscus idus:	fisch, ide, orfe
MAK:	maximum workplace concentration
Met:	Metall
mus:	mouse
Muta:	mutagen
NIOSH:	National Institute for Occupational Safety and Health (US)
NRD:	Non-rapidly degradable
onchorhynchus mykiss:	fish, rainbow trout
orl:	oral
OSHA:	Occupational Safety and Health Administration
PAX:	transport on passenger planes allowed
PBT:	persistent, bioaccumulating, toxic substance
pH:	pH value
pimephales promelas:	fish, fathead minnow
PNEC:	Predicted No Effect Concentration
PROC 15:	Process category 'for laboratory use'
PRTR:	Law for PRTR and Promotion of Chemical Management (Jp)
PVC:	polyvinyl chloride
quail:	bird, quail
rat:	rat
rbt:	rabbit
RD:	rapidly degradable
RE:	repeated
REACH:	Registration, Evaluation, Authorisation and Restriction of Chemicals
REF:	item number, reference number
Reg.No.:	rRegistration number



MACHEREY-NAGEL GmbH & Co. KG
 Valenciener Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985005	NANOCOLOR Ammonium 50	Page: 11/11
Printing date: 15.05.2024	Date of issue: 01.02.2024	Version: 2.2.3.5

Repr: harmful to reproduction
 Resp: respiratory
 RIP: REACH Implementations Projects
 scu: sub cutan
 SDS: safety data sheet
 Sens: sensitisation
 STEL: short term exposure limit
 STOT: Specific Target Organ Toxicity
 SVHC: Substance of Very High Concern
 t/a: tons per year
 TCCA: Toxic Chemicals Control Act (S. Korea)
 Tox: toxic
 TSCA: The Toxic Substances Control Act (US)
 TWA: time weighted average
 TRGS: technical regulations (DE)
 vPvB: very persistent, very bioaccumulating substance

16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



MACHEREY-NAGEL GmbH & Co. KG
 Valencienner Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com