

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985605

NANOCOLOR Ammonium 50, Robot

Page: 1/11

Printing date: 15.05.2024

Date of issue: 01.02.2024

Version: 2.2.3.5

SECTION 1: Identification of the substance/mixture and of the company

1.1 Product identifier

REF 985605
Product name NANOCOLOR Ammonium 50, Robot

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

1 x 20x 14 mg NANOFIX Ammonium (R2) UFI: 41HU-03AU-H20P-9Q9R
20 x Test tube, empty
20 x 8 mL Ammonium 50 reagent A (R0)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

Uses advised against

not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG
Valenciennner Str. 11, 52355 Düren, Germany
Phone: +49 2421 969 0

E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.

DE: Gemeinsames Gif tinformat ionszentrum (GGIZ)
99089 Erfurt tel. +49 361 730 730, <<https://www.ggiz-erfurt.de>>

You find our current versions of SDS in Internet:

<<http://www.mn-net.com/SDS>>

SECTION 2: Hazard identification

2.0 Classification of the complete product according to Regulation (EC) 1272/2008



GHS07

Signal word WARNING

Hazard identification **Hazard classes/categories**

H302 Acute Tox. 4 oral

2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

8 mL Ammonium 50 reagent A (R0)

Signal word Do not need labelling as hazardous
-

No hazard class

20x 14 mg NANOFIX Ammonium (R2)



MACHEREY-NAGEL GmbH & Co. KG
Valenciennner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985605

NANOCOLOR Ammonium 50, Robot

Page: 2/11

Printing date: 15.05.2024

Date of issue: 01.02.2024

Version: 2.2.3.5



GHS07

Signal word: WARNING

Hazard identification	Hazard classes/categories
H302	Acute Tox. 4 oral

Test tube, empty

Signal word: Do not need labelling as hazardous
-

No hazard class

List of H phrases: see section 16.2

2.2 Label elements according regulation (EC) 1272/2008

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identifier(s) (EU 1272/2008 Annex I - 1.5.1.2). Inner packages up to 10 mL need max. 2 symbols (Annex I - 1.5.2.4.1 / 2). Harmful chemicals/mixtures with signal word: **WARNING** must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2).

8 mL Ammonium 50 reagent A (R0)

Do not need labelling as hazardous
Signal word: -

20x 14 mg NANOFIX Ammonium (R2)



GHS07

Signal word: WARNING

Test tube, empty

Do not need labelling as hazardous
Signal word: -

Label elements of the complete product



GHS07

Signal word: WARNING

2.3 Other hazards

Possible hazards from physicochemical properties
no data available

Information pertaining to particular risks to human and possible symptoms
Cause after oral intake, impairments of health when ingested in small quantities.

Information pertaining to particular risks to the environment

PBT: not applicable
vPvB: not applicable

Possible endocrine disrupting effects
no data available



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985605

NANOCOLOR Ammonium 50, Robot

Page: 3/11

Printing date: 15.05.2024

Date of issue: 01.02.2024

Version: 2.2.3.5

SECTION 3: Composition / information on ingredients

3.1 Substances or 3.2 Mixtures

8 mL Ammonium 50 reagent A (R0)

Substance name: *sodium hydroxide solution*
CAS No.: 1310-73-2

Substance rating: H314, Skin Corr. 1 A
Formula: NaOH·H₂O
Pseudonym (de): verdünnte Natronlauge
REACH Reg. No.: 01-2119457892-27-xxxx
EC No.: 215-185-5

Indice No.: 011-002-00-6

Specific concentration limit: Eye Irrit. 2; H319: 0,5 % ≤ C < 2 % - Skin Corr. 1A; H314: C ≥ 5 % - Skin Corr. 1B;
H314: 2 % ≤ C < 5 % - Skin Irrit. 2; H315: 0,5 % ≤ C < 2 %
Concentration: 0,1 - <0,5 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

Substance name: *sodium salicylate*
CAS No.: 54-21-7

Substance rating: H302, Acute Tox. 4 oral, H319, Eye Irrit. 2, H361, Repr. 2, H361d, Repr. 2
Formula: C₇H₅NaO₃
REACH Reg. No.: 01-2119918289-28-xxxx
EC No.: 200-198-0
Concentration: 0,1 - <0,3 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

20x 14 mg NANOFIX Ammonium (R2)

Substance name: *sodium nitroprusside*
CAS No.: 13755-38-9

Substance rating: H301, Acute Tox. 3 oral
Formula: Na₂[Fe(CN)₅NO]₂·2H₂O
Pseudonym (de): Natriumpentacyanonitrosylferrat(II)
EC No.: 238-373-9
Concentration: 15 - <33 %
acc. CLP (GHS): H302, Acute Tox. 4 oral

Substance name: *sodium nitroprusside*
CAS No.: 13755-38-9

Substance rating: H301, Acute Tox. 3 oral
Formula: Na₂[Fe(CN)₅NO]₂·2H₂O
Pseudonym (de): Natriumpentacyanonitrosylferrat(II)
EC No.: 238-373-9
Concentration: 5 - <15 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

Substance name: *dichloroisocyanuric acid, Na salt*
CAS No.: 2893-78-9

Substance rating: H272, Ox. Liq. 2, H302, Acute Tox. 4 oral, H319, Eye Irrit. 2, H335, resp. irrit. STOT SE 3, H410, Aquatic Chronic 1, EUH031, not defined
Formula: C₃Cl₂N₃NaO₃
Pseudonym (de): 1,3-Dichlor-5H-(1,3,5)-triazin-2,4,6-trion
REACH Reg. No.: 01-2119489371-33-xxxx
EC No.: 220-767-7
Concentration: 3 - <10 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

Indice No.: 613-030-01-7



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985605

NANOCOLOR Ammonium 50, Robot

Page: 4/11

Printing date: 15.05.2024

Date of issue: 01.02.2024

Version: 2.2.3.5

Test tube, empty

Substance name: *Packaging - no content*
CAS No.: -

Substance rating: No criteria for classification or naming of chemical not required.
Concentration: 99 - <100 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%. List of H and P phrases: see section 16.2.

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice.

4.1.1 After SKIN Contact

Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water. (If possible) use soap.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).

4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. ---

4.1.4 After ORAL Intake

After oral intake lots of water should be drunk after it has been ingested.

4.2 Most important symptoms and effects, both acute and delayed

There are no known delayed symptoms or effects for this product.

4.3 Indication of any immediate medical attention and special treatment needed

No additionally recommendations. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used. Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.1.2 Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

Formation of hazardous and caustic vapour-air mixtures possible.

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

5.4 Additional information

no data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Regular staff training is necessary.



MACHEREY-NAGEL GmbH & Co. KG
Valenciener Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985605	NANOCOLOR Ammonium 50, Robot	Page: 5/11
Printing date: 15.05.2024	Date of issue: 01.02.2024	Version: 2.2.3.5

6.2 Environmental precautions

PBT: not applicable
vPvB: not applicable

6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent.
Collect small amounts of leaked liquid and flush with water into drains.

6.4 Reference to other sections

no data available

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product. Use a safety bottle when shaking test tubes.

7.2 Conditions for safe storage, including any incompatibilities

Safe storage is guaranteed in the original packaging from MACHEREY-NAGEL. Storage class (German chemical industry): see chapter 12.1

Storage class (VCI): 6.1B
Water hazard class (DE): 3

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls /personal protection

8.1 Control parameters

Test tube, empty

Chemical: *Packaging - no content*

CAS No.: -

20x 14 mg NANOFIX Ammonium (R2)

Chemical: *sodium nitroprusside*

CAS No.: 13755-38-9

Chemical: *dichloroisocyanuric acid, Na salt*

CAS No.: 2893-78-9

NIOSH: not listed

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

8 mL Ammonium 50 reagent A (R0)

Chemical: *sodium hydroxide solution*

CAS No.: 1310-73-2

Chemical: *sodium salicylate*

CAS No.: 54-21-7

DNEL: 1,32 mg/m³

DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 0,0413 mg/L

PNEC = Predicted No Effect Concentration

8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory protection

No additional recommendations.

8.2.2 Skin protection / Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

8.2.3 Eye / Face Protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.



Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985605	NANOCOLOR Ammonium 50, Robot	Page: 6/11
Printing date: 15.05.2024	Date of issue: 01.02.2024	Version: 2.2.3.5

- 8.2.4 Skin protection**
Not necessary.
- 8.2.5 Personal hygiene**
Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.
- 8.2.6 Thermal hazards**
no data available
- 8.3 Limitation and monitoring of environmental exposure**
Do not release product into environment.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Test tube, empty

- | | |
|--|-------------------|
| a) State of aggregation: | solid |
| b) Colour: | colourless |
| c) Odor: | odorless |
| d) Melting point: | no data available |
| e) Boiling point: | no data available |
| f) Flammability: | no data available |
| g) Explosive limits (lower / upper): | no data available |
| h) Flash point: | no data available |
| i) Flashing temperature: | no data available |
| j) Decomposition temperature: | no data available |
| k) pH value: | no data available |
| l) Kinematic viscosity: | no data available |
| m) Solubility in water: | no data available |
| n) Dispersion coefficient (K _{o/w}): | no data available |
| o) Vapour pressure (20°C): | no data available |
| p) Specific gravity: | no data available |
| q) Relative vapour density (air=1): | no data available |
| r) Particle size: | no data available |

20x 14 mg NANOFIX Ammonium (R2)

- | | |
|--|-------------------|
| a) State of aggregation: | powder (solid) |
| b) Colour: | rose |
| c) Odor: | chloric |
| d) Melting point: | no data available |
| e) Boiling point: | no data available |
| f) Flammability: | no data available |
| g) Explosive limits (lower / upper): | no data available |
| h) Flash point: | no data available |
| i) Flashing temperature: | no data available |
| j) Decomposition temperature: | no data available |
| k) pH value: | 5-7 |
| l) Kinematic viscosity: | no data available |
| m) Solubility in water: | no data available |
| n) Dispersion coefficient (K _{o/w}): | no data available |
| o) Vapour pressure (20°C): | no data available |
| p) Specific gravity: | no data available |
| q) Relative vapour density (air=1): | no data available |
| r) Particle size: | no data available |

8 mL Ammonium 50 reagent A (R0)

- | | |
|--------------------------------------|-------------------|
| a) State of aggregation: | liquid |
| b) Colour: | colourless |
| c) Odor: | odorless |
| d) Melting point: | no data available |
| e) Boiling point: | no data available |
| f) Flammability: | no data available |
| g) Explosive limits (lower / upper): | no data available |
| h) Flash point: | no data available |



Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985605

NANOCOLOR Ammonium 50, Robot

Page: 7/11

Printing date: 15.05.2024

Date of issue: 01.02.2024

Version: 2.2.3.5

i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	12-13
l) Kinematic viscosity:	no data available
m) Solubility in water:	0-100 %
n) Dispersion coefficient ($K_{o/w}$):	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density ($\rho_{air=1}$):	no data available
r) Particle size:	no data available

9.2 Other information

9.2.1 Information on physical hazard classes

no data available

9.2.2 Other safety-related parameters

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required.

□ □

SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

10.2 Chemical stability

no known instability.

10.3 Possibility of hazardous reactions

No further data available.

10.4 Conditions to avoid

Observe the storage temperature printed on it.

10.5 Incompatible materials

no additional data available

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

Test tube, empty

Chemical: *Packaging - no content*

CAS No.: -

20x 14 mg NANOFIX Ammonium (R2)

Chemical: *sodium nitroprusside*
 TSCA Inventory: listed (CAS 14402-89-2)
 Korea Exist.Chem.Inventory: not listed
 LD50 orl rat : 99 mg/kg
 LC_{LoW} orl rat : 20 mg/kg

CAS No.: 13755-38-9

Acute Effects: Cause after oral intake, impairments of health when ingested in small quantities.

Chemical: *dichloroisocyanuric acid, Na salt*

CAS No.: 2893-78-9

TSCA Inventory: listed California Proposition 65 List: not listed
 Australia NICNAS: not listed Canada CEPA 1999: DSL Yes
 Japan CSCL/PRTR: not listed, Japan PDSCL: not listed
 Japan ISHL: not listed



Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985605	NANOCOLOR Ammonium 50, Robot	Page: 8/11
Printing date: 15.05.2024	Date of issue: 01.02.2024	Version: 2.2.3.5

South Korea TCCA: not listed
 Korea Exist.Chem.Inventory: KE-10215, >25% Toxic 2014-1-688
 LD50 orl rat : 550-1600 mg/kg
 LC_Low orl hmn : 3570 mg/kg

8 mL Ammonium 50 reagent A (R0)
 Chemical: *sodium hydroxide solution* CAS No.: 1310-73-2
 TSCA Inventory: listed California Proposition 65 List: not listed
 Exposure Routes: inhalation, ingestion, skin and/or eye contact
 Target Organs: Eyes, skin, respiratory system
 Symptoms: -
 Japan CSCL/PRTR: not listed, Japan PDSCL: not listed
 Japan ISHL: listed ≥1,0%/≥1,0% SDS required
 Korea Exist.Chem.Inventory: KE-31487
 LD50 orl rat : [
 LD50 orl mus : [

Chemical: *sodium salicylate* CAS No.: 54-21-7
 TSCA Inventory: listed
 Korea Exist.Chem.Inventory: KE-20384
 LD50 orl rat : 1000 mg/kg
 LC_Low orl hmn : 700 mg/kg

11.2 Other hazards

Possible endocrine disrupting effects
 no data available

Other information
 no additional data available

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances.

Test tube, empty
 Substance name: *Packaging - no content* CAS-Nr.: -

20x 14 mg NANOFIX Ammonium (R2)
 Substance name: *sodium nitroprusside* CAS-Nr.: 13755-38-9
 Water hazard class (DE): 3
 Storage class (VCI): 6.1 B

Substance name: *dichloroisocyanuric acid, Na salt* CAS-Nr.: 2893-78-9
 Water hazard class (DE): 3
 Storage class (VCI): 13

8 mL Ammonium 50 reagent A (R0)
 Substance name: *sodium hydroxide solution* CAS-Nr.: 1310-73-2
 LC50 leuciscus idus/96h : 35-189 mg/L
 LC50 fish/96h : 45.4 mg/L
 EC50 daphnia/48h : >100 mg/L
 Water hazard class (DE): nwg WGK No.: 0142
 Storage class (VCI): 12-13

Substance name: *sodium salicylate* CAS-Nr.: 54-21-7
 PNEC (fresh water) : 0,0413 mg/L
 PNEC = Predicted No Effected Concentration = concentration at which no effect on the environment is expected
 Water hazard class (DE): 1
 Storage class (VCI): 12-13



Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985605

NANOCOLOR Ammonium 50, Robot

Page: 9/11

Printing date: 15.05.2024

Date of issue: 01.02.2024

Version: 2.2.3.5

12.2 Persistence and degradability

12.3 Bioaccumulative potential

12.4 Mobility in soil

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

no data available

12.7 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

Not necessary, see above.

SECTION 14: Transport information

14.1 - 14.4: No dangerous goods according the transport regulations

14.5 Environmental hazards

none, contains only small quantities of hazardous substances

14.6 Special precautions for user

not necessary

14.7 Carriage in bulk by sea in accordance with IMO instruments

Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020
 Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017
 TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017
 TRGS 220, National aspects when preparing safety data sheets, Jan 2017
 TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017
 BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012
 MN leaflet/instructions for use, also at www.mn-net.com
 If necessary, observe other country-specific regulations.

15.2 Chemical safety assessment

not necessary for these small amounts

SECTION 16: Other information

16.1 Changes compared to the last version

Between versions 2.2.3.5 and 2.2.2.2 following changes were applied: - 1 composition data corrected - 3 substance data corrected

16.2 List of H and P phrases

16.2.1 List of relevant H phrases



MACHEREY-NAGEL GmbH & Co. KG
 Valencienner Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985605	NANOCOLOR Ammonium 50, Robot	Page: 10/11
Printing date: 15.05.2024	Date of issue: 01.02.2024	Version: 2.2.3.5

H Between versions 2.2.3.5 and 2.2.2.2 following changes were applied: - 1 composition data corrected - 3 substance data corrected
 H302 Harmful if swallowed.

16.2.2 List of relevant P phrases

16.3 Recommended restriction on use

Only for professional user.
 An individual package of this product or test kit has a moderate hazardous potential.

16.4 Sources of key data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021
 Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres
 SUVA .CH, limit values in the air at work 2009, revised on 01/2009
 Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)
 Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG
 Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)
 Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)
 Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)

Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP)
 Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP)
 Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP)
 TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019
 Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP)
 Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG
 Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP)
 Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP)
 Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)
 Regulation 692/2022/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (18th ATP)

revisions/updates

*Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary
 2014-04 adjustment according Regulation 487/2013/EU
 2016-03 adjustment according Regulation 1221/2015/EU*

*2017-11 adjustment according the ECHA registration dossier
 2022-11 adjustment according Regulation 878/2020/EU*

16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.
 MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.6 Legend / Abbreviations

acc: according
 ADR: Convention concerning the International Carriage of Dangerous Goods by Road
 Act: acute
 BAT: biological workplace tolerance value
 CAO: Cargo Aircraft Only
 Carc: carcinogen
 CAS: Chemical Abstracts Service
 CLP: Classification, Labelling and Packaging regulation
 CMR: carcinogen, mutagen, reproduction toxic
 Corr: corrosive
 COD: chemical oxygen demand
 CSCL: Chemical Substance Control Law (Jp)
 Dam: damage
 DNEL: Derived No-Effect Level (for workers)
 derm: dermal
 dog: dog
 EC10: Concentration causing a toxic effect in 10% of the test organisms
 EC: European Community
 EC-Nr: Substance number of the EC substance inventory



MACHEREY-NAGEL GmbH & Co. KG
 Valenciener Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985605	NANOCOLOR Ammonium 50, Robot	Page: 11/11
Printing date: 15.05.2024	Date of issue: 01.02.2024	Version: 2.2.3.5

EmS: Guide to accident management measures on ships
 EU: European Union
 fish: fish (not specified)
 GHS: Global Harmonized System of Classification and Labeling of Chemicals
 gpg: guinea pig
 ICAO: International Civil Aviation Organization
 ihl: inhaled
 IMDG: International Maritime Dangerous Goods Code
 intrav: intravenous
 ipt: intraperitoneal
 ISHL: Industrial Safety and Health Law (Jp)
 LC50: letale concentration 50%
 LD50: letale dosis 50%
 leuciscus idus: fisch, ide, orfe
 MAK: maximum workplace concentration
 Met: Metall
 mus: mouse
 Muta: mutagen
 NIOSH: National Institute for Occupational Safety and Health (US)
 NRD: Non-rapidly degradable
 onchorhynchus mykiss: fisch, rainbow trout
 orl: oral
 OSHA: Occupational Safety and Health Administration
 PAX: transport on passenger planes allowed
 PBT: persistent, bioaccumulating, toxic substance
 pH: pH value
 pimephales promelas: fisch, fathead minnow
 PNEC: Predicted No Effect Concentration
 PROC 15: Process category 'for laboratory use'
 PRTR: Law for PRTR and Promotion of Chemical Management (Jp)
 PVC: polyvinyl chloride
 quail: bird, quail
 rat: rat
 rbt: rabbit
 RD: rapidly degradable
 RE: repeated
 REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
 REF: item number, reference number
 Reg.No.: rRegistration number
 Repr: harmful to reproduction
 Resp: respiratory
 RIP: REACH Implementations Projects
 scu: sub cutan
 SDS: safety data sheet
 Sens: sensitisation
 STEL: short term exposure limit
 STOT: Specific Target Organ Toxicity
 SVHC: Substance of Very High Concern
 t/a: tons per year
 TCCA: Toxic Chemicals Control Act (S. Korea)
 Tox: toxic
 TSCA: The Toxic Substances Control Act (US)
 TWA: time weighted average
 TRGS: technical regulations (DE)
 vPvB: very persistent, very bioaccumulating substance

16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



MACHEREY-NAGEL GmbH & Co. KG
 Valenciener Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com