

according to Regulations REACh 1907/2006/EC

REF: 985619	NANOCOLOR Chloride 200, Robot	Page: 1/14
Printing date: 15.05.2024	Date of issue: 29.08.2022	Version: 2.2.4.2

SECTION 1: Identification of the substance/mixture and of the company

1.1 Product identifier

REF Product name 985619 NANOCOLOR Chloride 200, Robot

REACH Registration number(s): see SECTION 3.1/3.2 or A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

20 x 3.8 mL Chloride (R1) Box A (R0)

1 x 50 mL Chloride (R2) (B)

UFI: PQQV-63C3-Y20X-PK42 UFI: F2UV-X38K-X207-FVUK

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 The exposure scenario is integrated into sections 1-16. Uses advised against not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11, 52355 Düren, Germany Phone: +49 2421 969 0

E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service. DE: Gemeinsames Giftinformationszentrum (GGIZ)

99089 Erfurt tel. +49 361 730 730, <https://www.ggiz-erfurt.de>

You find our current versions of SDS in Internet:

<http://www.mn-net.com/SDS>

SECTION 2: Hazard identification

2.0 Classification of the complete product according to Regulation (EC) 1272/2008



Signal word	DANGER	
Hazard identification	Hazard classes/categories	
H225	Flam. Liq. 2	
H290	Met. Corr. 1	
H301	Acute Tox. 3 oral	
H311	Acute Tox. 3 derm.	
H314	Skin Corr. 1 B	
H331	Acute Tox. 3 inh.	
H370	STOT SE 1	
H373	STOT RE 2	
H413	Aquatic Chronic 4	

2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008 50 mL Chloride (R2) (B)



CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com
- 03 101.. +1 000 321 02





according to Regulations REACh 1907/2006/EC

Date of issue: 29.08.2022	Version: 2.2.4.2
Bate of locad. E0.00.E0EE	VEISIUII. 2.2.4.2
$\land \land \land \land$	



DANGER
Hazard classes/categories
Flam. Liq. 2
Acute Tox. 3 oral
Acute Tox. 4 oral
Acute Tox. 3 derm.
Acute Tox. 4 derm.
Acute Tox. 3 inh.
Acute Tox. 4 inh.
STOT SE 1
STOT RE 2
Aquatic Chronic 4

3.8 mL Chloride (R1) Box A (R0)

	GHS05
Signal word	DANGER
Hazard identification	Hazard classes/categories
H290 H314	Met. Corr. 1 Skin Corr. 1 B

List of H phrases: see section 16.2

Label elements according regulation (EC) 1272/2008

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I - 1.5.1.2). Inner packages up to 10 mL need max. 2 symbols (Annex I - 1.5.2.4.1 / 2). Harmful chemicals/mixtures with signal word: **WARNING** and highly flammable chemicals/mixtures must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2). Metal corrosive solutions **do not have to** be labelled with GHS symbol, signal word, H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2). Metal corrosive solutions **do not have to** be labelled with GHS symbol, signal word, H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2).

50 mL Chloride (R2) (B)



Signal word: DANGER H301, H311, H331, H370 Toxic if swallowed.Toxic in

Toxic if swallowed.Toxic in contact with skin.Toxic if inhaled.Causes damage to organs. P260sh, P264, P270, P271, P280, P301+310, P302+352, P330, P361+364, P405, P501 Do not breathe dust/vapours.Wash hands thoroughly after handling.Do not eat, drink or smoke when using this product.Use only outdoors or in a well-ventilated area.Wear protective gloves/protective clothing/eye protection/face protection.IF SWALLOWED: Immediately call a POISON CENTER/ doctor.IF ON SKIN: Wash with plenty of water.Rinse mouth.Take off immediately all contaminated clothing and wash it before reuse.Store locked up.Dispose of contents/container to regulated waste treatment.

3.8 mL Chloride (R1) Box A (R0)



2.2

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
- US Tel.: +1 888 321 62 24 sales-us@mn-net.com



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

 REF: 985619
 NANOCOLOR Chloride 200, Robot
 Page: 3/14

 Printing date: 15.05.2024
 Date of issue: 29.08.2022
 Version: 2.2.4.2



Signal word: DANGER H314

Causes severe skin burns and eye damage. P260sh, P264, P280sh, P303+361+353, P305+351+338, P310, P405, P501

Do not breathe dust/vapours.Wash hands thoroughly after handling.Wear protective gloves/eye protection.IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.Immediately call a POISON CENTER/doctor.Store locked up.Dispose of contents/container to regulated waste treatment.

Label elements of the complete product



Signal word: DANGER

H301, H311, H314, H331, H370

Toxic if swallowed. Toxic in contact with skin. Causes severe skin burns and eye damage. Toxic if inhaled. Causes damage to organs.

P260sh, P264, P270, P271, P280sh, P301+310, P303+361+353, P305+351+338, P330, P361+364, P405, P501 Do not breathe dust/vapours.Wash hands thoroughly after handling.Do not eat, drink or smoke when using this product.Use only outdoors or in a well-ventilated area.Wear protective gloves/eye protection.IF SWALLOWED: Immediately call a POISON CENTER/ doctor.IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.Rinse mouth.Take off immediately all contaminated clothing and wash it before reuse.Store locked up.Dispose of contents/container to regulated waste treatment.

2.3 Other hazards

Possible hazards from physicochemical properties

Generally in the case of pH values are less than 2 or higher than 11.5 then it is corrosive. Flammable properties.

Information pertaining to particular risks to human and possible symptoms

Causes varying degrees of acid burns on the skin, to the eyes and to the mucous membranes and wounds which do not heal quickly depending on the concentration, temperature and the exposure time. Vapours especially which steam from hot liquids and mist can have a severe irritant effect upon the eyes and the respiratory organs.

Cause severe after oral intake, inhalation of vapours, skin contact, impairments of health or can lead to death even when only ingested in small quantities. Causes damage to organs.

Information pertaining to particular risks to the environment

 Should not be released into the environment.

 PBT:
 not applicable

 vPvB:
 not applicable

Possible endocrine disrupting effects no data available

SECTION 3: Composition / information on ingredients

3.1 Substances or 3.2 Mixtures

50 mL Chloride (R2) (B)



DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



according to Regulations REACh 1907/2006/EC

REF: 985619		NANOCOLOR Chloride 200, Robot	Page: 4/14
Printing date: 15.05.2	024	Date of issue: 29.08.2022	Version: 2.2.4.2
	Substance name: CAS No.:	<i>mercury(II) thiocyanate</i> 592-85-8	
	Formula: Pseudonym (de): EC No.: Concentration:	H301, Acute Tox. 3 oral, H311, Acute Tox. 3 derm., H331, Acute Tox. 3 inh 1, H410, Aquatic Chronic 1 Hg(SCN) ₂ Quecksilberrhodanid 209-773-0 0,32 - <0,64 % Correlation factor: x 0.78 (= %Hg) the weight percentage of the metal (according to CLP regulation 2008/1272/EG Annex VI, 1.1.3 H302, Acute Tox. 4 oral, H312, Acute Tox. 4 derm., H332, Acute Tox. 4 inh ic 4	8.2 Note 1)
	Substance name: CAS No.:	methanol 67-56-1	
	Substance rating: H370, STOT SE 1 Formula: Pseudonym (de): REACH Reg. No.:	H225, Flam. Liq. 2, H301, Acute Tox. 3 oral, H311, Acute Tox. 3 derm., H33 CH ₄ O, CH ₃ OH Methylalkohol 01-2119433307-44-xxxx	31, Acute Tox. 3 inh.,
	EC No.: Concentration: acc. CLP (GHS): H370, STOT SE 1	200-659-6 Indice No.: 603-001-00-X 95 - <100 % H225, Flam. Liq. 2, H301, Acute Tox. 3 oral, H311, Acute Tox. 3 derm., H33	31, Acute Tox. 3 inh.,
3.8 mL	Chloride (R1) Box A Substance name: CAS No.:	(R0) nitric acid 7697-37-2	
	Substance rating:	H272, Ox. Liq. 2, H314, Skin Corr. 1 A, H330, Acute Tox. 1 inh., EUH071, r	not defined

Substance rating: Formula:	H272, Ox. Liq. 2, H314, Skin Corr. 1 HNO ₃ •H ₂ O	A, H330, Acute Tox. 1	inh., EUH071, not defined
Pseudonym (de):	Hydrogennitrat, Scheidewasser		
REACH Reg. No.:	01-2119487297-23-xxxx		
EC No.:	231-714-2	Indice No.:	007-004-00-1
Concentration:	5 - <13 %		
acc. CLP (GHS):	H290, Met. Corr. 1, H314, Skin Corr.	1 B	

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.List of H and P phrases: see section 16.2.

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Remove contaminated clothing. Show product package, packing insert and this material safety data sheet to the doctor. Take to a doctor, in a raised position if there are breathing difficulties.

4.1.1 After SKIN Contact

Remove contaminated clothing immediately. Rinse the affected skin or mucous membrane thoroughly for min. 15 minutes under running water. (If possible) use soap. Avoid neutralisation. Then apply a loose bandage.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.

4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. If vomiting and if insensible place patient in recovery position and keep airways free. Administer a Dexamethasone spray as soon as possible. Ensure quiet, warmth, and provide resuscitation if necessary. In the event of respiratory distress ensure that the patient inhales oxygen. Secure the breathing, heart and circulatory function. ---



DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

according to Regulations REACh 1907/2006/EC

REF: 985619	NANOCOLOR Chloride 200, Robot	Page: 5/14
Printing date: 15.05.2024	Date of issue: 29.08.2022	Version: 2.2.4.2

4.1.4 After ORAL Intake

After oral intake lots of water with activated charcoal supplement should be drunk after it has been ingested. Do not induce vomiting under any circumstances. Do not make any efforts to neutralise it. Contact medical advice for possible consequences.

4.2 Most important symptoms and effects, both acute and delayed

Damages organs. Rapid penetration and destruction of the skin. Especially in the heated form. Causes severe skin burns and eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

CORROSIVE DAMAGE: After SKIN CONTACT rinse with water for a long time. Efforts to neutralise the substance can frequently make matters worse. Apply glucocorticosteroides following inflammatory reactions. After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive chemical. Further treatment must to be carried out by an eye specialist. After INTAKE administer aluminium oxide drug suspensions. Administer a prophylaxis to counter pulmonary oedema following the INGESTION of corrosive aerosols. In the event of RESPIRATORY DISTREES ensure that the patient inhales oxygen. TOXIFICATION: Treat symptomatically. Secure the breathing, heart and circulatory function. Remove the substance quickly from the body. Mechanically induce vomiting or ensure the patient eats medicinal charcoal compressed tablets or drinks aluminium oxide drug suspensions. In order to ensure rapid passage through the colon (administer 2 tablespoons of dissolved Glauber's salt). Alleviation of pain, if necessary sedation. Shock treatment. Administer a prophylaxis to counter pulmonary oedema. Inform patient respectively further measures and the possibility of long-term damages. ----

SECTION 5: Firefighting measures

5.1 Extinguishing media

5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.1.2 Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

DANGER: Highly flammable (GHS regulation). Forms explosive vapour-air mixtures. Formation of hazardous and caustic vapour-air mixtures possible.

5.3 Advice for firefighters

No, for listed product.Product package burns like paper or plastic. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.

For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.

5.4 Additional information

Danger for environment only in the event of a large-scale leakage or formation of hazardous substances.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Wear eye protection, respectively face protection. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

6.2 Environmental precautions

Should not be released into the environment. **PBT:** not applicable **vPvB:** not applicable

6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water. Collect small amounts of leaked liquid and flush with water into drains.

6.4 Reference to other sections

see information in section 5.4,7,8 and 13



DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

according to Regulations REACh 1907/2006/EC

Printing date: 15.05.2024 Date of issue: 29.08.2022 Vers	: 6/14
Date of issue. 25.00.2022 Vers	on: 2.2.4.2

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product. Use only in well-ventilated working areas. Use a safety bottle when shaking test tubes.

7.2 Conditions for safe storage, including any incompatibilities

Safe storage is guaranteed in the original packaging from MACHEREY-NAGEL. Products which are also classified as toxic must be kept under lock and key. Storage class (German chemical industry): see chapter 12.1
Storage class (VCI):
3
Water hazard class (DE):
3

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage, and store in a well-ventilated place at max. 25 °C, away or preferably separate from substances with which a hazardous reaction could take place, so that they are not immediately accessible to outside parties. Use inbreakable container for transport of glass bottles.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls /personal protection

8.1 Control parameters

50 mL Chloride (R2) (B) Chemical: methanol		CAS No.: 67-56-1
DNEL: DNEL = Derived No-Effec	[derm] 40 mg/kg bw/day; [inh] 260 mg/m³ t Level (for workers)	
PNEC (fresh water) : PNEC = Predicted No Effe	20.8 mg/Lno hazard identified ected Concentration	
EU value: TRGS 900 (DE):	[TWA] 200 ppm / 260 mg/m³ 200 ppm / 270 mg/m³ E/e respirable	
Short-term exposure factor: skin resorptive (H), respir	4 (II), H, Y atory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not secure	ly excluded / (Y) certainly excluded
SUVA(CH) MAK value: SUVA(CH) BAT value: TRGS 903 (DE):	200 ppm/ 260 mg/m³ [U/c,b] 30 mg/L U/c,b 30 mg/L B blood, U urine, a no limitation, b end of exposition or shift	
NIOSH: NIOSH STEL: [TWA] Time-weighted ave	[TWA, skin] 200 ppm / 260 mg/m ³ 250 ppm / 325 mg/m ³ rage to a reference period of 8 hours, [STEL] Short-term exposure limit i	related to a 15-minute period
OSHA:	[TWA] 200 ppm / 260 mg/m³	
Chemical: <i>mercury(II) th</i> EU value: TRGS 900 (DE):	<i>liocyanate</i> [Hg] 0.02 e mg/m³ 0,02 _{Hg} E mg/m³ E/e respirable	CAS No.: 592-85-8
Short-term exposure factor: skin resorptive (H), respir	8 (II), H, Sh atory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not secure	ly excluded / (Y) certainly excluded
SUVA(CH) MAK value: SUVA(CH) BAT value: TRGS 903 (DE):	[Hg][MAK] 0,02 e/[STEL] 0,16 e mg/m ³ [Krea U/d] 35 µg/L [U/a _{Kreatinin}] 25 µg/g B blood, U urine, a no limitation, b end of exposition or shift	
NIOSH: [TWA] Time-weighted ave	[Hg vapor: TWA skin] 0.05; other 0.1 mg/m ³ rage to a reference period of 8 hours, [STEL] Short-term exposure limit r	related to a 15-minute period
OSHA:	[TWA] 0.1 mg/m ³	
3.8 mL Chloride (R1) Box A Chemical: nitric acid	A (R0)	CAS No.: 7697-37-2
DNEL: DNEL = Derived No-Effec	[inh] (1.3) mg/m³ t Level (for workers)	
PNEC (fresh water) : PNEC = Predicted No Effe	no hazard identified ected Concentration	
EU value: TRGS 900 (DE):	1 ppm / 2.6 mg/m³ 1 ppm / 2,6 mg/m³ E/e respirable	
Short-term exposure factor:	-	w avaludad / (X) cortainly avaludad

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded



 MACHEREY-NAGEL GmbH & Co. KG
 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 Valencienner Str. 11
 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 52355 Düren · Germany
 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

 www.mn-net.com
 US
 Tel.: +1 888 321 62 24
 sales-us@mn-net.com



according to Regulations REACh 1907/2006/EC

REF: 985619		NANOCOLOR Chloride 200, Robot	Page: 7/14	
Printin	g date: 15.05.2024	Date of issue: 29.08.2022	Version: 2.2.4.2	
	SUVA(CH) MAK value: NIOSH: [TWA] Time-weighted a OSHA: mg/m³	2 ppm / 5 mg/m ³ [TWA] 2 ppm / 5 mg/m ³ 4 ppm / 10 mg/m ³ verage to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-m List of highly hazardous chemicals, toxics and reactives Yes (TQ = 50		
8.2	Exposure controls			
	Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.			
8.2.1	Respiratory protection Use for open access of these substances for example a protection filter, class A/AX. No additional recommendations.			
8.2.2	Skin protection / Hand protection Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Anse or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.			
8.2.3	Eye / Face Protection Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection or face protection.			
8.2.4	Skin protection Recommended to avoid cl	othing damage, and to avoid contamination with these hazards.		
8.2.5	Personal hygiene Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.			
8.2.6	Thermal hazards no data available			
8.3	Limitation and monitoring of environmental exposure Do not release product into environment.			
SEC	ΓΙΟΝ 9: Physical and α	chemical properties		
۵ ۱	Information on boois of	hysical and chamical proportios		

9.1 Information on basic physical and chemical properties

50 mL Chloride (R2) (B)	
a) State of aggregation:	liquid
b) Colour:	colourless
c) Odor:	alcoholic
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	11 °C
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	no data available
 Kinematic viscosity: 	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient (K _{o/w}):	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	0.79 g/cm³
q) Relative vapour density (air=1):	no data available
r) Particle size:	no data available

3.8 mL Chloride (R1) Box A (R0)

a) State of aggregation: b) Colour:	liquid slightly yellow
c) Odor:	nitric
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

Ashing temperature: no data available MACHEREY-NAGEL GmbH & Co. KG DE Tel.: +49 24 21 969-0 info@mn-net.com Valencienner Str. 11 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



according to Regulations REACh 1907/2006/EC

REF: 985619	NANOCOLOR Chloride 200, Robot	Page: 8/14
Printing date: 15.05.2024	Date of issue: 29.08.2022	Version: 2.2.4.2

j) Decomposition temperature:
k) pH value:
l) Kinematic viscosity:
m) Solubility in water:
n) Dispersion coefficient (K _{o/w}):
o) Vapour pressure (20°C):
p) Specific gravity:
q) Relative vapour density (air=1):
r) Particle size:

no data available 0-1 no data available no data available no data available no data available 1.037 g/cm³ no data available no data available

9.2 Other information

9.2.1 Information on physical hazard classes no data available

9.2.2 Other safety-related parameters

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required.

Substances are highly volatile and form flammable gas-air mixtures. Substances are highly corrosive.

SECTION 10: Stability and reactivity

- 10.1 Reactivity Strong CORROSIVE, no further data available.
- 10.2 Chemical stability

no known instability.

- **10.3 Possibility of hazardous reactions** Can react violently with organic material. Possible: &H:EUH031& No further data available.
- 10.4 Conditions to avoid

Observe the storage temperature printed on it. No more required.

- 10.5 Incompatible materials
- no additional data available

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

50 mL Chloride (R2)	(B)	
Chemical:	methanol	CAS No.: 67-56-1
TSCA Inventory:	listed	California Proposition 65 List: listed, developmental
ACGIH:	200 ppm / 160	mg/m³
Exposure Routes:	inhalation, skin	absorption, ingestion, skin and/or eye contact
Target Organs:	Eyes, skin, res	piratory system, central nervous system, gastrointestinal tract
Symptoms:	irritation eyes,	skin, upper respiratory system; headache, drowsiness, dizziness, nausea, vomiting;
visual disturbance, or	otic nerve damage (bline	Iness
Australia NICNAS:		Canada CEPA 1999: DSL yes
Japan CSCL/PRTR:	PAC yes, Japa	n PDSCL: Deleterious Substance
Japan ISHL:	listed ≥0,3%/≥0),1%, Article 57-2 (SDS required)
South Korea TCCA:	Accident Preca	ution Chemical yes
Korea Exist.Chem.Inv	/entory: KE-23193, Tox	ic 97-1-80
LD50 orl rat :	5628 mg/kg	
LC_Low _{ihl rat} :	64,000 mg/L/4	4
LC_Low _{orl hmn} :	143 mg/kg	
LC50 ihl rat :	>80 mg/L/4H	
LD50 _{orl mus} :	7300 mg/kg	





according to Regulations REACh 1907/2006/EC

REF: 98 Printing	35619 date: 15.05.2024	NANOCOLOR Chloride 20 Date of issue: 29.08.2022		: 9/14 on: 2.2.4.:
	Acute Effects: Cause se when only ingested in s Chronic Effects: Causes TRGS 905 (DE):	nall quantities.	n contact, impairments of health or can lead to d	eath ever
	Chemical: <i>m</i> TSCA Inventory: Exposure Routes: Target Organs: Symptoms: insomnia, irritability, indu Japan CSCL/PRTR: Japan ISHL: Korea Exist.Chem.Inver LD50 orl rat : Acute Effects: Cause af quantities. Chronic Effects: May ca TRGS 907 (DE): 3.8 mL Chloride (R1) E	ercury(II) thiocyanate listed inhalation, skin absorption, ingestion, skir Eyes, skin, respiratory system, central ne irritation eyes, skin; cough, chest pain, dy ecision, headac PRTR: ≥1,0%Hg class I, Japan PDSCL: F listed ≥0,3%/≥0,1% tory: KE-05-0812, Toxic 97-1-140 46 mg/kg er oral intake, inhalation of vapours/dust, skin of use damage to organs through prolonged or re Sh ox A (R0) tric acid listed California Propositi inhalation, ingestion, skin and/or eye cont Eyes, skin, respiratory system, teeth irritation eyes, skin, mucous membrane; of	vous system, kidneys spnea (breathing difficulty), bronchitis, pneumon Poisonous substance ontact, impairments of health when ingested in s beated exposure. CAS No.: 7697-37-2 on 65 List: not listed act elayed pulmonary edema, pneumonitis, bronchit PA 1999: DSL Yes	small
	Japan ISHL: South Korea TCCA:	listed ≥1,0%/≥1,0%, Article 57-2 (SDS red Accident Precaution Chemical Yes tory: KE-25911, >10% Toxic 97-1-246, Acc. Pr 1500 mg/kg/NOAEC 2,65 mg/L/4H R F D	uired)	
1.2	Other hazards			
	Possible endocrine dia no data available Other information	srupting effects		
	no additional data availa	ble		
ЗЕСТ	ION 12: Ecological	nformation		
2.1	Toxicity Following information is va	lid for pure substances.		
	Do not release into the	ethanol environment.	CAS-Nr.: 67-56-1	
	LC50 daphnia magna/48h : LC50 pimephales promelas/ LC50 fish/96h : EC50 daphnia/48h : IC50 scenedesmus quadrica EC10 pseudomonas putita/ Water hazard class (DE Storage class (VCI):	15.4 g/L >10 g/L uda/72h : [IC5 8d] 8000 mg/L 6h : [EC5] 6.6 g/L): 2 WGK No.: 0145 3		
	May cause long lasting	<i>ercury(II) thiocyanate</i> narmful effects to aquatic life. Do not release in ous substances/mixtures do not have to be labe	CAS-Nr.: 592-85-8 o the environment. led with P-phrases up to 125 mL (EU 1272/2008	} Annex I



Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

MACHEREY-NAGEL GmbH & Co. KG DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com

according to Regulations REACh 1907/2006/EC

REF: 98	35619	NANOCOLOR Chloride 200, F	Robot	Page: 10/14
Printing date: 15.05.2024		Date of issue: 29.08.2022		Version: 2.2.4.2
	Bio Toxicity: Water hazard class (DE): Storage class (VCI):	LC ₅₀ : 0.5 _{HgCl2/48h} mg/L 3 WGK No.: 0413 12		
	3.8 mL Chloride (R1) Box A (R0 Substance name: <i>nitric acid</i> Do not release into the environme PNEC (fresh water) : PNEC = Predicted No Effected Concentra LC50 daphnia magna/48h : LC50 fish/96h : Water hazard class (DE): Storage class (VCI):		CAS-Nr.: 7697-37-2	
2.2	Persistence and degradabilit	у.		
12.3	Bioaccumulative potential			
	50 mL Chloride (R2) (B) Substance name: Dispersion coefficient (K _{o/w}):	<i>methanol</i> -0,77	CAS-Nr.: 67-56-1	
2.4	Mobility in soil			

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

no data available

12.7 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06). Close container tightly.

13.1 Waste treatment methods

Not necessary, see above.

SECTION 14: Transport information

14.1. UN number: 3316 14.2. UN proper shipping 14.3. Class: 9	name: Chemical K	Kit			
14.4. Packing group:	II				
Road transport ADR					
Classification code:	M11 Tur	nnel restriction code:	E		
Limited Quantity:	acc. ADR 3.3.1/25	51: see LQ in Alternative	e declaration for	transportation	
Air transport IATA DGR					
Limited Quantity:	PAX:	960		max. quantity PAX:	10 KG
	CAO:	960		max. quantity CAO:	10 KG
Maritime transport IMDG					
EmS:	F-A, S-P	Staukatego	rie:	A	

Or use Alternative declaration for transportation:

II

14.1 UN number: 3264

14.2 UN proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (nitric acid solution) 14.3 Class: 8

14.4 Packing group:



 MACHEREY-NAGEL GmbH & Co. KG
 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 Valencienner Str. 11
 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 52355 Düren · Germany
 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

 www.mn-net.com
 US
 Tel.: +1 888 321 62 24
 sales-us@mn-net.com



according to Regulations REACh 1907/2006/EC

REF: 985619 Printing date: 15.05.2024	NANOCOLOR Chloride 200, Robot Date of issue: 29.08.2022		Page: 11/14 Version: 2.2.4.2
Road transport ADR Classification code: Limited Quantity: Excepted Quantity:	C1 1 L E 2	Tunnel restriction code: E	
<i>Air transport IATA DGR</i> Limited Quantity: Excepted Quantity:	PAX: 851 CAO: 855 E 2	max. quantity PAX: 1 L max. quantity CAO: 30 L	
<i>Maritime transport IMDG</i> EmS: Special instructions:	F-A, S-B 274	Staukategorie: B	

14.5 Environmental hazards

none, contains only small quantities of hazardous substances

- 14.6 Special precautions for user not necessary
- **14.7** Carriage in bulk by sea in accordance with IMO instruments Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemicals Prohibition Ordinance - (DE: ChemVerbotsV), aktualisiert Jan 2017

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020

Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017

TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017

TRGS 220, National aspects when preparing safety data sheets, Jan 2017

TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017

TRGS 401, Skin contact hazard - identification, assessment, action, Jun 2008, status: Feb 2011

BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012

TRGS 500, Protective measures, Mai 2008

TRGS 510, Storage of hazardous substances in portable containers from March 2013, status: Oct 2015

Chapter 4, Measures when storing hazardous substances up to 50 kg (small quantity regulation)

Wasserhaushaltsgesetz - WHG, Section 3 Handling substances hazardous to water, Jul 2009, status: Aug 2016 MN leaflet/instructions for use, also at www.mn-net.com

If necessary, observe other country-specific regulations.

15.2 Chemical safety assessment

not necessary for these small amounts

SECTION 16: Other information

16.1 Changes compared to the last version

Between versions 2.2.4.2 and 2.2.2.2 following changes were applied: - 2 composition data corrected

16.2 List of H and P phrases

16.2.1 List of relevant H phrases

Elot of folovant fr pin	4505
H225	Highly flammable liquid and vapour.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H370	Causes damage to organs.



 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

 US
 Tel.: +1 888 321 62 24
 sales-us@mn-net.com



according to Regulations REACh 1907/2006/EC

REF: 98		NANOCOLOR Chloride 200, Robot	Page: 12/14			
Printing	date: 15.05.2024	Date of issue: 29.08.2022	Version: 2.2.4.2			
	H373 H413	May cause damage to organs through prolonged or repeated exposure. May cause long lasting harmful effects to aquatic life.				
6.2.2	List of relevan	nt P phrases				
	P260sh	Do not breathe dust/vapours.				
	P264	Wash hands thoroughly after handling.				
	P270	Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.				
	P271 P280sh	Wear protective gloves/eye protection.				
	P301+310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.				
	P303+361+353		with water [or shower].			
	P305+351+338	3 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact le				
		do. Continue rinsing.				
	P330	Rinse mouth. Taka affirma diataka all contaminated alathing and weak it before revea				
	P361+364 P405	Take off immediately all contaminated clothing and wash it before reuse. Store locked up.				
	P501	Dispose of contents/container to regulated waste treatment.				
16.3						
0.3		l restriction on use				
	Only for professiona					
	Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)! Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)!					
		ge of this product or test kit has a moderate hazardous potential.				
16.4	Sources of key	v data				
	-	aflets on hazardous materials, 2021				
		G Minimum requirements to improve the safety and health protection of workers at risk	rom potentially explosive			
	atmospheres					
		ues in the air at work 2009, revised on 01/2009				
		Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)				
		Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)				
		15/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (40 A				
		7/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th A				
	Regulation 669/201	8/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (1th ATP)			
		18/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th 9/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th /				
		n rules of technology on limit values in the air at work, as of 03/2019	(11)			
		0/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scie	ntific progress (14th ATP)			
	Regulation 878/202	0/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG				
		20/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and sci				
		1/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scie				
		1/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and sciel 2/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and sciel				
	Regulation 092/202		lunc progress (Tour ATP)			
	revisions/updates Reason for revision	: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if	necessary			
		2014-04 adjustment according Regulation 487/2013/EU	loocoury			
		2016-03 adjustment according Regulation 1221/2015/EU				
		2017-11 adjustment according the ECHA registration dossier 2022-11 adjustment according Regulation 878/2020/EU				
16.5	Further inform					
10.5			late of own realizations -t			
	MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained					
	person using this product. Individuals receiving the information must exercise their independent judgement in determining its					
	appropriateness for a particular purpose.					
	MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including					
	without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resultir					
		e information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be respondent the end of our price lists for additions at the end of our price lists at the end of our price lists for additions at the end of our price lists for additions at the end of our price lists for additions at the end of our price lists for additions at the end of our price lists for additions at the end of our price lists for additions at the end of our price lists for additions at the end of our price lists for additions at the end of our price lists for additions at the end of our price lists for additio				
16.6						
0.0	Acc: Abbre	rding				
		/ention concerning the International Carriage of Dangerous Goods by Road				
	Act: acute					
		gical workplace tolerance value				
	CAO: Carq	lo Aircraft Only				

CAO: Cargo Aircraft Only



MACHEREY-NAGEL GmbH & Co. KGDETel.: +49 24 21 969-0info@mn-net.comValencienner Str. 11CHTel.: +41 62 388 55 00sales-ch@mn-net.com52355 Düren · Germany
www.mn-net.comFRTel.: +33 388 68 22 68sales-fr@mn-net.comUSTel.: +1 888 321 62 24sales-us@mn-net.com



Carc:

according to Regulations REACh 1907/2006/EC

carcinogen

 REF: 985619
 NANOCOLOR Chloride 200, Robot
 Page: 13/14

 Printing date: 15.05.2024
 Date of issue: 29.08.2022
 Version: 2.2.4.2

	carcinogen Chemical Abstracts Service
CAS: CLP:	Chemical Abstracts Service Classification, Labelling and Packaging regulation
CLF. CMR:	carcinogen, mutagen, reproduction toxic
Corr:	corrosive
COD:	chemical oxigen demand
CSCL:	Chemical Substance Control Law (Jp)
Dam:	damage
DNEL:	Derived No-Effect Level (for workers)
derm:	dermal
dog:	dog
EC10:	Concentration causing a toxic effect in 10% of the test organisms
EC:	European Community
EC-Nr:	Substance number of the EC substance inventory
EmS:	Guide to accident management measures on ships
EU:	European Union
fish:	fish (not spezified)
GHS:	Global Harmonized System of Classification and Labeling of Chemicals
gpg:	guinea pig
ICAO:	International Civil Aviation Organization
ihl:	inhaled
IMDG:	International Maritime Dangerous Goods Code
intrav:	intravenous
ipt:	intraperitonaeal
ISHL:	Industrial Safety and Health Law (Jp)
LC50:	letale concentration 50%
LD50:	letale dosis 50%
leuciscus idus	
MAK:	maximum workplace concentration
Met:	Metall
mus:	mouse
Muta:	mutagen
NIOSH:	National Institute for Occupational Safety and Health (US)
NRD:	Non-rapidly degradable
onchorhynchu	
orl:	oral
OSHA:	Occupational Safety and Health Administration
001 // (.	
PAX	
PAX: PBT·	transport on passenger planes allowed
PBT:	transport on passenger planes allowed persistent, bioaccumulating, toxic substance
PBT: pH:	transport on passenger planes allowed persistent, bioaccumulating, toxic substance pH value
PBT:	transport on passenger planes allowed persistent, bioaccumulating, toxic substance pH value romelas: fish, fathead minnow
PBT: pH: pimephales pi	transport on passenger planes allowed persistent, bioaccumulating, toxic substance pH value romelas: fish, fathead minnow Predicted No Effected Concentration
PBT: pH: pimephales pi PNEC:	transport on passenger planes allowed persistent, bioaccumulating, toxic substance pH value romelas: fish, fathead minnow
PBT: pH: pimephales pi PNEC: PROC 15:	transport on passenger planes allowed persistent, bioaccumulating, toxic substance pH value romelas: fish, fathead minnow Predicted No Effected Concentration Process category 'for laboratory use'
PBT: pH: pimephales pi PNEC: PROC 15: PRTR:	transport on passenger planes allowed persistent, bioaccumulating, toxic substance pH value romelas: fish, fathead minnow Predicted No Effected Concentration Process category 'for laboratory use' Law for PRTR and Promotion of Chemical Management (Jp)
PBT: pH: pimephales pi PNEC: PROC 15: PRTR: PVC:	transport on passenger planes allowed persistent, bioaccumulating, toxic substance pH value romelas: fish, fathead minnow Predicted No Effected Concentration Process category 'for laboratory use' Law for PRTR and Promotion of Chemical Management (Jp) polyvinyl chloride
PBT: pH: pimephales pl PNEC: PROC 15: PRTR: PVC: quail:	transport on passenger planes allowed persistent, bioaccumulating, toxic substance pH value omelas: fish, fathead minnow Predicted No Effected Concentration Process category 'for laboratory use' Law for PRTR and Promotion of Chemical Management (Jp) polyvinyl chloride bird, quail
PBT: pH: pimephales pr PNEC: PROC 15: PRTR: PVC: quail: rat:	transport on passenger planes allowed persistent, bioaccumulating, toxic substance pH value omelas: fish, fathead minnow Predicted No Effected Concentration Process category 'for laboratory use' Law for PRTR and Promotion of Chemical Management (Jp) polyvinyl chloride bird, quail rat
PBT: pH: pimephales pr PNEC: PROC 15: PRTR: PVC: quail: rat: rbt:	transport on passenger planes allowed persistent, bioaccumulating, toxic substance pH value omelas: fish, fathead minnow Predicted No Effected Concentration Process category 'for laboratory use' Law for PRTR and Promotion of Chemical Management (Jp) polyvinyl chloride bird, quail rat rabbit
PBT: pH: pimephales pr PNEC: PROC 15: PRTR: PVC: quail: rat: rbt: RD:	transport on passenger planes allowed persistent, bioaccumulating, toxic substance pH value omelas: fish, fathead minnow Predicted No Effected Concentration Process category 'for laboratory use' Law for PRTR and Promotion of Chemical Management (Jp) polyvinyl chloride bird, quail rat rabbit rapidly degradable repeated Registration, Evaluation, Authorisation and Restriction of Chemicals
PBT: pH: pimephales pr PNEC: PROC 15: PRTR: PVC: quail: rat: rbt: RD: RE:	transport on passenger planes allowed persistent, bioaccumulating, toxic substance pH value omelas: fish, fathead minnow Predicted No Effected Concentration Process category 'for laboratory use' Law for PRTR and Promotion of Chemical Management (Jp) polyvinyl chloride bird, quail rat rabbit rapidly degradable repeated
PBT: pH: pimephales pr PNEC: PROC 15: PRTR: PVC: quail: rat: rat: RD: RE: REACh:	transport on passenger planes allowed persistent, bioaccumulating, toxic substance pH value omelas: fish, fathead minnow Predicted No Effected Concentration Process category 'for laboratory use' Law for PRTR and Promotion of Chemical Management (Jp) polyvinyl chloride bird, quail rat rabbit rapidly degradable repeated Registration, Evaluation, Authorisation and Restriction of Chemicals
PBT: pH: pimephales pr PNEC: PROC 15: PRTR: PVC: quail: rat: rbt: RD: RE: RE: REACh: REF:	transport on passenger planes allowed persistent, bioaccumulating, toxic substance pH value romelas: fish, fathead minnow Predicted No Effected Concentration Process category 'for laboratory use' Law for PRTR and Promotion of Chemical Management (Jp) polyvinyl chloride bird, quail rat rabbit rapidly degradable repeated Registration, Evaluation, Authorisation and Restriction of Chemicals item number, reference number
PBT: pH: pimephales pi PNEC: PROC 15: PRTR: PVC: quail: rat: rbt: RD: RE: RE: REACh: REF: REF: Reg.No.:	transport on passenger planes allowed persistent, bioaccumulating, toxic substance pH value omelas: fish, fathead minnow Predicted No Effected Concentration Process category 'for laboratory use' Law for PRTR and Promotion of Chemical Management (Jp) polyvinyl chloride bird, quail rat rabbit rapidly degradable repeated Registration, Evaluation, Authorisation and Restriction of Chemicals item number, reference number rRegistration number harmful to reproduction respiratory
PBT: pH: pimephales pr PNEC: PROC 15: PRTR: PVC: quail: rat: rbt: RD: RE: REACh: REF: REACh: REF: Reg.No.: Repr:	transport on passenger planes allowed persistent, bioaccumulating, toxic substance pH value omelas: fish, fathead minnow Predicted No Effected Concentration Process category 'for laboratory use' Law for PRTR and Promotion of Chemical Management (Jp) polyvinyl chloride bird, quail rat rabbit rapidly degradable repeated Registration, Evaluation, Authorisation and Restriction of Chemicals item number, reference number rRegistration number harmful to reproduction
PBT: pH: pimephales pr PNEC: PROC 15: PRTR: PVC: quail: rat: rbt: RD: RE: REACh: REF: REACh: REF: Reg.No.: Repr: Resp:	transport on passenger planes allowed persistent, bioaccumulating, toxic substance pH value omelas: fish, fathead minnow Predicted No Effected Concentration Process category 'for laboratory use' Law for PRTR and Promotion of Chemical Management (Jp) polyvinyl chloride bird, quail rat rabbit rapidly degradable repeated Registration, Evaluation, Authorisation and Restriction of Chemicals item number, reference number rRegistration number harmful to reproduction respiratory
PBT: pH: pimephales pr PNEC: PROC 15: PRTR: PVC: quail: rat: rbt: RD: RE: REACh: REF: REACh: REF: Reg.No.: Repr: Resp: RIP:	transport on passenger planes allowed persistent, bioaccumulating, toxic substance pH value omelas: fish, fathead minnow Predicted No Effected Concentration Process category 'for laboratory use' Law for PRTR and Promotion of Chemical Management (Jp) polyvinyl chloride bird, quail rat rabbit rapidly degradable repeated Registration, Evaluation, Authorisation and Restriction of Chemicals item number, reference number rRegistration number harmful to reproduction respiratory REACH Implementations Projects sub cutan safety data sheet
PBT: pH: pimephales pr PNEC: PROC 15: PRTR: PVC: quail: rat: rbt: RD: RE: REACh: REF: REACh: REF: Reg.No.: Repr: Resp: RIP: scu: SDS: Sens:	transport on passenger planes allowed persistent, bioaccumulating, toxic substance pH value romelas: fish, fathead minnow Predicted No Effected Concentration Process category 'for laboratory use' Law for PRTR and Promotion of Chemical Management (Jp) polyvinyl chloride bird, quail rat rabbit rapidly degradable repeated Registration, Evaluation, Authorisation and Restriction of Chemicals item number, reference number rRegistration number harmful to reproduction respiratory REACH Implementations Projects sub cutan safety data sheet sensitisation
PBT: pH: pimephales pr PNEC: PROC 15: PRTR: PVC: quail: rat: rbt: RD: RE: REACh: REF: REF: Reg.No.: Repr: Resp: RIP: scu: SDS: Sens: STEL:	transport on passenger planes allowed persistent, bioaccumulating, toxic substance pH value romelas: fish, fathead minnow Predicted No Effected Concentration Process category 'for laboratory use' Law for PRTR and Promotion of Chemical Management (Jp) polyvinyl chloride bird, quail rat rabbit rapidly degradable repeated Registration, Evaluation, Authorisation and Restriction of Chemicals item number, reference number rRegistration number harmful to reproduction respiratory REACH Implementations Projects sub cutan safety data sheet sensitisation short term exposure limit
PBT: pH: pimephales pr PNEC: PRCC 15: PRTR: PVC: quail: rat: rbt: RD: RE: REACh: REF: REACh: REF: Reg.No.: REF: Rep: REP: SDS: Sens: STEL: STOT:	transport on passenger planes allowed persistent, bioaccumulating, toxic substance pH value omelas: fish, fathead minnow Predicted No Effected Concentration Process category 'for laboratory use' Law for PRTR and Promotion of Chemical Management (Jp) polyvinyl chloride bird, quail rat rabbit rapidly degradable repeated Registration, Evaluation, Authorisation and Restriction of Chemicals item number, reference number rRegistration number harmful to reproduction respiratory REACH Implementations Projects sub cutan safety data sheet sensitisation short term exposure limit Specific Target Organ Toxicity
PBT: pH: pimephales pr PNEC: PRTC: PRTR: PVC: quail: rat: rbt: RD: RE: REACh: REF: REACh: REF: Reg.No.: Repr: Repr: Resp: RIP: scu: SDS: Sens: STEL: STOT: SVHC:	transport on passenger planes allowed persistent, bioaccumulating, toxic substance pH value omelas: fish, fathead minnow Predicted No Effected Concentration Process category 'for laboratory use' Law for PRTR and Promotion of Chemical Management (Jp) polyvinyl chloride bird, quail rat rabbit rapidly degradable repeated Registration, Evaluation, Authorisation and Restriction of Chemicals item number, reference number rRegistration number harmful to reproduction respiratory REACH Implementations Projects sub cutan safety data sheet sensitisation short term exposure limit Specific Target Organ Toxicity Substance of Very High Concern
PBT: pH: pimephales pr PNEC: PROC 15: PRTR: PVC: quail: rat: rbt: RD: RE: REACh: REF: Reg.No.: REF: Reg.No.: Repr: Resp: RIP: scu: SDS: Sens: STEL: STOT: SVHC: t/a:	transport on passenger planes allowed persistent, bioaccumulating, toxic substance pH value omelas: fish, fathead minnow Predicted No Effected Concentration Process category 'for laboratory use' Law for PRTR and Promotion of Chemical Management (Jp) polyvinyl chloride bird, quail rat rabbit rapidly degradable repeated Registration, Evaluation, Authorisation and Restriction of Chemicals item number, reference number rRegistration number harmful to reproduction respiratory REACH Implementations Projects sub cutan safety data sheet sensitisation short term exposure limit Specific Target Organ Toxicity Substance of Very High Concern tons per year
PBT: pH: pimephales pr PNEC: PROC 15: PRTR: PVC: quail: rat: rbt: RD: RE: REACh: REF: Reg.No.: REF: Resp: REP: Resp: RIP: scu: SDS: Sens: STEL: STOT: SVHC: t/a: TCCA:	transport on passenger planes allowed persistent, bioaccumulating, toxic substance pH value omelas: fish, fathead minnow Predicted No Effected Concentration Process category 'for laboratory use' Law for PRTR and Promotion of Chemical Management (Jp) polyvinyl chloride bird, quail rat rabbit rapidly degradable repeated Registration, Evaluation, Authorisation and Restriction of Chemicals item number, reference number rRegistration number harmful to reproduction respiratory REACH Implementations Projects sub cutan safety data sheet sensitisation short term exposure limit Specific Target Organ Toxicity Substance of Very High Concern tons per year Toxic Chemicals Control Act (S. Korea)
PBT: pH: pimephales pr PNEC: PROC 15: PRTR: PVC: quail: rat: rbt: RD: RE: REACh: REF: Reg.No.: REF: Reg.No.: Repr: Resp: RIP: scu: SDS: Sens: STEL: STOT: SVHC: t/a: TCCA: Tox:	transport on passenger planes allowed persistent, bioaccumulating, toxic substance pH value omelas: fish, fathead minnow Predicted No Effected Concentration Process category 'for laboratory use' Law for PRTR and Promotion of Chemical Management (Jp) polyvinyl chloride bird, quail rat rabbit rapidly degradable repeated Registration, Evaluation, Authorisation and Restriction of Chemicals item number, reference number rRegistration number harmful to reproduction respiratory REACH Implementations Projects sub cutan safety data sheet sensitisation short term exposure limit Specific Target Organ Toxicity Substance of Very High Concern tons per year Toxic Chemicals Control Act (S. Korea) toxic
PBT: pH: pimephales pr PNEC: PROC 15: PRTR: PVC: quail: rat: rbt: RD: RE: REACh: REF: Reg.No.: Repr: Repr: Resp: RIP: scu: SDS: Sens: STEL: STOT: SVHC: t/a: TCCA: Tox: TSCA:	transport on passenger planes allowed persistent, bioaccumulating, toxic substance pH value romelas: fish, fathead minnow Predicted No Effected Concentration Process category 'for laboratory use' Law for PRTR and Promotion of Chemical Management (Jp) polyvinyl chloride bird, quail rat rabbit rapidly degradable repeated Registration, Evaluation, Authorisation and Restriction of Chemicals item number, reference number rRegistration number harmful to reproduction respiratory REACH Implementations Projects sub cutan safety data sheet sensitisation short term exposure limit Specific Target Organ Toxicity Substance of Very High Concern tons per year Toxic Chemicals Control Act (S. Korea) toxic The Toxic Substances Control Act (US)
PBT: pH: pimephales pr PNEC: PROC 15: PRTR: PVC: quail: rat: rbt: RD: RE: REACh: REF: REACh: REF: Reg.No.: REF: Reg.No.: Repr: REF: SDS: SDS: SOS: SSN: STEL: STOT: SVHC: t/a: TCCA: TSCA: TWA:	transport on passenger planes allowed persistent, bioaccumulating, toxic substance pH value romelas: fish, fathead minnow Predicted No Effected Concentration Process category 'for laboratory use' Law for PRTR and Promotion of Chemical Management (Jp) polyvinyl chloride bird, quail rat rabbit rapidly degradable repeated Registration, Evaluation, Authorisation and Restriction of Chemicals item number, reference number rRegistration number harmful to reproduction respiratory REACH Implementations Projects sub cutan safety data sheet sensitisation short term exposure limit Specific Target Organ Toxicity Substance of Very High Concern tons per year Toxic Chemicals Control Act (S. Korea) toxic The Toxic Substances Control Act (US) time weighted average
PBT: pH: pimephales pr PNEC: PRC 15: PRTR: PVC: quail: rat: rbt: RD: RE: REACh: REF: REACh: REF: Reg.No.: REF: Reg.No.: REF: Resp: RIP: scu: SDS: Sens: STEL: STOT: SVHC: t/a: TCCA: TSCA: TWA: TRGS:	transport on passenger planes allowed persistent, bioaccumulating, toxic substance pH value omelas: fish, fathead minnow Predicted No Effected Concentration Process category 'for laboratory use' Law for PRTR and Promotion of Chemical Management (Jp) polyvinyl chloride bird, quail rat rabbit rapidly degradable repeated Registration, Evaluation, Authorisation and Restriction of Chemicals item number, reference number rRegistration number harmful to reproduction respiratory REACH Implementations Projects sub cutan safety data sheet sensitisation short term exposure limit Specific Target Organ Toxicity Substance of Very High Concern tons per year Toxic Chemicals Control Act (S. Korea) toxic The Toxic Substances Control Act (US) time weighted average technical regulations (DE)
PBT: pH: pimephales pr PNEC: PROC 15: PRTR: PVC: quail: rat: rbt: RD: RE: REACh: REF: REACh: REF: Reg.No.: REF: Reg.No.: Repr: REF: SDS: SDS: SOS: SSN: STEL: STOT: SVHC: t/a: TCCA: TSCA: TWA:	transport on passenger planes allowed persistent, bioaccumulating, toxic substance pH value romelas: fish, fathead minnow Predicted No Effected Concentration Process category 'for laboratory use' Law for PRTR and Promotion of Chemical Management (Jp) polyvinyl chloride bird, quail rat rabbit rapidly degradable repeated Registration, Evaluation, Authorisation and Restriction of Chemicals item number, reference number rRegistration number harmful to reproduction respiratory REACH Implementations Projects sub cutan safety data sheet sensitisation short term exposure limit Specific Target Organ Toxicity Substance of Very High Concern tons per year Toxic Chemicals Control Act (S. Korea) toxic The Toxic Substances Control Act (US) time weighted average



 MACHEREY-NAGEL GmbH & Co. KG
 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 Valencienner Str. 11
 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 52355 Düren · Germany
 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

 www.mn-net.com
 US
 Tel.: +1 888 321 62 24
 sales-us@mn-net.com



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 985619	NANOCOLOR Chloride 200, Robot	Page: 14/14
Printing date: 15.05.2024	Date of issue: 29.08.2022	Version: 2.2.4.2

16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com DE Tel.: +49 24 21 969-0 info@mn-net.com

- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
- US Tel.: +1 888 321 62 24 sales-us@mn-net.com