

# SAFETY DATA SHEET

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Issue Date 28-Apr-2009 Revision Date 02-Oct-2023 Version 6.2

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product Code(s) LCK014

Product Name LCK 014 CSB/COD/DCO

Unique Formula Identifier (UFI) 6E56-HFFD-7801-4TP2

Molecular weight Not applicable

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory Reagent. Determination of Chemical Oxygen Demand.

Uses advised against Consumer use

## 1.3. Details of the supplier of the safety data sheet

#### Supplier

HACH UK
Laser House
Ground Floor, Suite B
Waterfront Quay, Salford Quays
GB - Manchester, M50 3XW
Tel. +44 (0) 161 872 1487
info-uk@hach.com

HACH Ireland Unit 34 GB Business Park Little Island IRL-Co. Cork T45 H681 Tel. +353 (0)146 02 522 info-ie@hach.com

#### 1.4. Emergency telephone number

UK: Chemtrec: +44 20 3807 3798

IE: National Poisons Information Centre (NPIC) 01 809 2566 (24/7)

# **Section 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Corrosive to metals	Category 1 - (H290)
Acute toxicity - Oral	Category 4 - (H302)
•	

BE / EGHS Page 1/20

Acute toxicity - Dermal	Category 3 - (H311)
Acute toxicity - Inhalation (Dusts/Mists)	Category 4 - (H332)
Skin corrosion/irritation	Category 1 Sub-category A - (H314)
Serious eye damage/eye irritation	Category 1 - (H318)
Germ cell mutagenicity	Category 1B - (H340)
Carcinogenicity	Category 1B - (H350)
Reproductive toxicity	Category 1B - (H360FD)
Specific target organ toxicity — repeated exposure	Category 2 - (H373)
Acute aquatic toxicity	Category 1 - (H400)
Chronic aquatic toxicity	Category 1 - (H410)

#### 2.2. Label elements

Regulation (EC) No 1272/2008

Contains Potassium dichromate, Sulfuric acid 65%, Sulfuric acid, disilver(1+) salt, Mercury sulphate



#### Signal word

Danger

#### **Hazard statements**

- H290 May be corrosive to metals
- H302 Harmful if swallowed
- H311 Toxic in contact with skin
- H314 Causes severe skin burns and eye damage
- H332 Harmful if inhaled
- H340 May cause genetic defects
- H350 May cause cancer
- H360FD May damage fertility. May damage the unborn child
- H373 May cause damage to organs through prolonged or repeated exposure
- H410 Very toxic to aquatic life with long lasting effects

EUH208 - Contains Potassium dichromate May produce an allergic reaction.

#### **Precautionary statements**

- P201 Obtain special instructions before use
- P260 Do not breathe dust/fume/gas/mist/vapours/spray
- P264 Wash face, hands and any exposed skin thoroughly after handling
- P273 Avoid release to the environment
- P280 Wear protective gloves/protective clothing/eye protection/face protection
- P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P310 Immediately call a POISON CENTER or doctor
- P308 + P313 IF exposed or concerned: Get medical advice/attention
- P391 Collect spillage

#### Special labelling of certain mixtures

Restricted to professional users

BE / EGHS Page 2/20

#### 2.3. Other hazards

No information available.

# PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT)

This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

## **Endocrine Disruptor Information**

This product does not contain any known or suspected endocrine disruptors.

# **Section 3: COMPOSITION/INFORMATION ON INGREDIENTS**

## 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical name	CAS No. EC No. Index No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Sulfuric acid	7664-93-9 231-639-5 016-020-00-8	60 - 70%	Skin Corr. 1A - H314	Eye Irrit. 2 :H319: 5%<=C<15% Skin Corr. 1A :H314: C>=15% Skin Irrit. 2 :H315: 5%<=C<15%	-	-
Potassium dichromate	7778-50-9 231-906-6 024-002-00-6	<1%	Ox. Sol. 2 - H272 Acute Tox. 3 - H301 Acute Tox. 4 - H312 Skin Corr. 1B - H314 Skin Sens. 1 - H317 Eye Dam. 1 - H318 Acute Tox. 2 - H330 Resp. Sens. 1 - H334 Muta. 1B - H340 Carc. 1B - H350 Repr. 1B - H360FD STOT RE 1 - H372 Aquatic Acute 1 - H400 Aquatic Chronic 1	:H335: C>=5%	10	10

BE / EGHS Page 3/20

Chemical name	CAS No. EC No. Index No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
			- H410			
Mercury sulphate	7783-35-9 231-992-5 080-002-00-6	<1%	Acute Tox. 2 - H300 Acute Tox. 1 - H310 Acute Tox. 2 - H330 STOT RE 2 - H373 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	STOT RE 2 :H373: C>=0.1%	-	-
Sulfuric acid, disilver(1+) salt	10294-26-5 233-653-7 -	<1%	Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		100	100

Chemical name	REACH registration number
Sulfuric acid	01-2119458838-20-xxxx
Potassium dichromate	01-2119454792-32

#### Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate No information available

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Potassium dichromate 7778-50-9	48 mg/kg	1170 mg/kg	0.094 mg/L	None reported	None reported
Sulfuric acid, disilver(1+) salt 10294-26-5	> 5000 mg/kg	None reported	None reported	None reported	None reported

This product contains one or more candidate substance(s) of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Chemical name	CAS No	SVHC candidates
Potassium dichromate	7778-50-9	X

# **Section 4: FIRST AID MEASURES**

# 4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get

BE / EGHS Page 4/20

medical advice/attention.

**Inhalation** Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical

attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical

attention.

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open

while rinsing. Do not rub affected area. Get immediate medical attention.

Skin contact Get immediate medical attention. Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes.

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting. Get immediate medical attention.

Self-protection of the first aider

Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the

material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid breathing vapours or mists. Use personal protective equipment as

required. See section 8 for more information.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation. Coughing and/ or wheezing. Difficulty in breathing.

#### 4.3. Indication of any immediate medical attention and special treatment needed

**Note to doctors** Product is a corrosive material. Use of gastric lavage or emesis is contra-indicated. Possible

perforation of stomach or esophagus should be investigated. Do not give chemical

antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may

occur with moist rales, frothy sputum, and high pulse pressure.

#### Section 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

surrounding environment.

Unsuitable extinguishing media No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition

can lead to release of irritating gases and vapours.

Hazardous combustion products This material will not burn.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

Additional information Fire residues and contaminated fire extinguishing water must be disposed of in accordance

BE / EGHS Page 5/20

with local regulations.

# Section 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Attention! Corrosive material. Keep people away from and upwind of spill/leak. Avoid breathing vapours or mists.

6.2. Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Should not be released into the

environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder,

sawdust). Take up mechanically, placing in appropriate containers for disposal.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

# **Section 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Take off contaminated clothing and wash it before reuse. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Avoid breathing vapours or mists.

**General hygiene considerations** Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this

product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the

workplace.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from

moisture. Keep out of the reach of children. Store away from other materials. Store locked

up. Accessible only for authorized persons.

7.3. Specific end use(s)

Specific use(s) Laboratory Reagent.

BE / EGHS Page 6/20

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

#### **Exposure Limits**

Chemical name	European Union	United Kingdom	Ireland
Sulfuric acid	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.05 ppm
7664-93-9		STEL: 0.15 mg/m <sup>3</sup>	STEL: 0.15 ppm
Potassium dichromate	TWA: 0.005 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup>	TWA: 0.005 mg/m <sup>3</sup>
7778-50-9	TWA: 0.010 mg/m <sup>3</sup>	TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup>
	TWA: 0.025 mg/m <sup>3</sup>	STEL: 0.03 mg/m <sup>3</sup>	TWA: 0.025 mg/m <sup>3</sup>
		STEL: 0.065 mg/m <sup>3</sup>	STEL: 0.15 mg/m <sup>3</sup>
		Sen+	STEL: 0.03 mg/m <sup>3</sup>
			STEL: 0.075 mg/m <sup>3</sup>
Mercury sulphate	TWA: 0.02 mg/m <sup>3</sup>	TWA: 0.02 mg/m <sup>3</sup>	TWA: 0.02 mg/m <sup>3</sup>
7783-35-9		STEL: 0.06 mg/m <sup>3</sup>	STEL: 0.06 mg/m <sup>3</sup>
Sulfuric acid, disilver(1+) salt	TWA: 0.01 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup>
10294-26-5		STEL: 0.03 mg/m <sup>3</sup>	STEL: 0.03 mg/m <sup>3</sup>

Chemical name	European Union	United Kingdom	Ireland
Potassium dichromate	-	-	25 μg/L (urine - total
7778-50-9			Chromium end of shift at end
			of workweek)
			10 μg/L (urine - total
			Chromium increase during
			shift)

**Derived No Effect Level (DNEL)** 

No information available.

**Predicted No Effect Concentration** (PNEC)

No information available.

No information available.

8.2. Exposure controls

Additional information

**Engineering controls** 

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Hand protection

Wear suitable gloves. Impervious gloves. Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374-1:2016 derived from it. Chemical resistant gloves made of butyl rubber

or nitrile rubber category III acco.

Gloves			
Duration of contact	PPE - Glove material	Glove thickness	Break through time
Long term (repeated)	Wear protective Viton™ aloves	0,7 mm	>480 minutes
	gioves		

BE / EGHS Page 7 / 20

Short term	Wear protective nitrile rubber gloves	0,4 mm	>30 minutes
Skin and body protection	Wear suitable protective clothi	ng. Long sleeved clothing.	
Respiratory protection	Wear breathing apparatus if exposed to vapours/dusts/aerosols.		
Recommended Filter type:	ABEK-P3.		
General hygiene considerations	Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace.		
Environmental exposure controls	Do not allow into any sewer, o	n the ground or into any body o	of water.

# **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

Physical state Liquid

Colour Light orange colour Odour Acidic

Odour threshold No data available

Property	Values	Remarks • Method
Molecular weight	Not applicable	
рН	< 0.5	@ 20 °C
Melting point / freezing point	~ -12 °C / 10.4 °F	
Initial boiling point and boiling range	~ 103 °C / 217.4 °F	
Evaporation rate	0.03 (air = 1)	
Vapour pressure	$\sim$ 2.55 mm Hg $/$ at $$ 25 °C $/$ 77 °F $$	
Relative vapor density	No data available	
Partition coefficient	No data available	
Soil Organic Carbon-Water Partition Coefficient	No data available	
Autoignition temperature	No data available	
Decomposition temperature	No data available	
Dynamic viscosity	Not applicable	
Kinematic viscosity Relative density	Not applicable 1.55 1 g/mL	

BE / EGHS Page 8/20

#### Solubility(ies)

#### Water solubility

Water solubility classification	Water solubility_	Water Solubility Temperature		
Soluble	> 1000 mg/L	25 °C / 77 °F		

#### Solubility in other solvents

Chemical Name	Solubility classification	Solubility	Solubility Temperature
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

**Metal Corrosivity** 

Steel Corrosion Rate> 6.25 mm/yr/ > 0.25 in/yrAluminum Corrosion Rate> 6.25 mm/yr/ > 0.25 in/yr

**Explosive properties** 

Upper explosion limitNo data availableLower explosion limitNo data available

Flammable properties

Flash point Not applicable

**Flammability** 

Upper flammability limit:No data availableLower flammability limitNo data available

Oxidising properties No data available.

**Bulk density** 

9.2. Other information

No information available.

# Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

**Reactivity** Corrosive to metal.

10.2. Chemical stability

Stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

**Hazardous polymerisation** Hazardous polymerisation does not occur.

10.4. Conditions to avoid

**Conditions to avoid** Exposure to air or moisture over prolonged periods. Excessive heat.

BE / EGHS Page 9/20

#### 10.5. Incompatible materials

Incompatible materials Oxidising agent. Acids. Bases.

## 10.6. Hazardous decomposition products

Hazardous Decomposition Products Thermal decomposition can lead to release of irritating and toxic gases and vapours.

# Section 11: TOXICOLOGICAL INFORMATION

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Acute toxicity**

Harmful if swallowed Toxic in contact with skin Harmful if inhaled

Mixture No data available.

Substance Test data reported below.

#### **Oral Exposure Route:**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Potassium dichromate	Rat	48 mg/kg	None reported	None reported	LOLI
	LD <sub>50</sub>				
Sulfuric acid,	Rat	> 5000 mg/kg	None reported	None reported	Vendor SDS
disilver(1+) salt	LD <sub>50</sub>			·	

#### **Dermal Exposure Route:**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Potassium dichromate	Rat	1170 mg/kg	None reported	None reported	ERMA
	LD <sub>50</sub>				

# Inhalation (Dust/Mist) Exposure Route:

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Potassium dichromate		0.094 mg/L	4 hours	None reported	ERMA

## **Acute Toxicity Estimate (ATE)**

## The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	481.30 mg/kg
ATEmix (dermal)	581.40 mg/kg
ATEmix (inhalation-dust/mist)	3.74 mg/l
ATEmix (inhalation-vapour)	58.26 mg/l

## Unknown acute toxicity

0 % of the mixture consists of ingredient(s) of unknown toxicity.

BE / EGHS Page 10 / 20

- 0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapour)
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

# Skin corrosion/irritation

Causes severe burns.

Mixture No data available.

Substance Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid	Existing human experience	Human	None reported	None reported	Corrosive to skin	HSDB
Mercury sulphate	Existing human experience	Human	None reported	None reported	Skin irritant	GESTIS
Sulfuric acid, disilver(1+) salt	Draize Test	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA

#### Serious eye damage/eye irritation

Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

Mixture No data available.

Substance Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid	Existing human experience	Human	None reported	None reported	Corrosive to eyes	HSDB
Mercury sulphate	Existing human experience	Human	None reported	None reported	Eye irritant	GESTIS
Sulfuric acid, disilver(1+) salt	Draize Test	Rabbit	180 mg	None reported	Corrosive to eyes	ECHA

#### Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Mixture No data available.

Substance Test data reported below.

#### **Skin Sensitization Exposure Route:**

	Chemical name	Test method	Species	Results	Key literature references and sources for data
	Sulfuric acid,	in vivo Assay	Guinea pig	No sensitisation responses were	ECHA
-	disilver(1+) salt			observed.	

#### STOT - single exposure

Based on available data, the classification criteria are not met.

Mixture No data available.

BE / EGHS Page 11/20

Substance Test data reported below.

## **Inhalation (Vapor) Exposure Route:**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid	Human TD∟₀	0.144 mg/L	5 minutes	Lungs, Thorax, or Respiration Dyspnea	RTECS

# STOT - repeated exposure

May cause damage to organs.

Mixture No data available.

Substance Test data reported below.

# **Oral Exposure Route:**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid, disilver(1+) salt	Rat LD	> 2000 mg/kg	14 days	No toxicological effects observed	ECHA

# Inhalation (Vapor) Exposure Route:

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Sulfuric acid	Human	0.003 mg/L	168 days	Musculoskeletal	RTECS
	TCLo			Changes in teeth and supporting	
				structures	

## **Germ cell mutagenicity**

Classification based on data available for ingredients. Contains a known or suspected mutagen.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic

<u> </u>	
Chemical name	European Union
Potassium dichromate	Muta, 1B

Mixture invitro **Data** No data available.

Substance invitro **Data** Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid	Cytogenetic analysis	Hamster ovary	4 mmol/L	None reported	Positive test result for mutagenicity	No information available
Potassium dichromate	Micronucleus test	Human lymphocyte	0.3 mg/L	None reported	Positive test result for mutagenicity	RTECS
Sulfuric acid, disilver(1+) salt	Mutation in mammalian somatic cells	Human lymphocyte	0.08 mg/L	3 hours	Negative	ECHA

Mixture invivo **Data** No data available.

BE / EGHS Page 12/20

Substance invivo **Data** No data available.

#### Carcinogenicity

Classification based on data available for ingredients.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union
Potassium dichromate	Carc. 1B

Mixture No data available.

Substance No data available.

#### Reproductive toxicity

Classification based on data available for ingredients.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

Chemical name	European Union
Potassium dichromate	Repr. 1B

Mixture No data available.

Substance Test data reported below.

#### **Oral Exposure Route:**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Potassium dichromate	Mouse TD⊾o	1710 mg/kg	19 days	Effects on Embryo or Fetus Fetotoxicity (except death e.g. stunted fetus) Effects on Fertility Post-implantation mortality (e.g. dead and/or resorbed implants per total number of implants) Specific Developmental Abnormalities Craniofacial (including nose and tongue)	RTECS

#### Inhalation (Vapor) Exposure Route:

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid	Rabbit TC∟₀	0.02 mg/L	7 hours	Specific Developmental Abnormalities	No information available
				Musculoskeletal system	

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

#### 11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** This product does not contain any known or suspected endocrine disruptors.

11.2.2. Other information

Other adverse effects No information available.

BE / EGHS Page 13 / 20

# **Section 12: ECOLOGICAL INFORMATION**

12.1. Toxicity

**Ecotoxicity** Very toxic to aquatic life with long lasting effects.

No data available.

**Unknown aquatic toxicity**Contains 0 % of components with unknown hazards to the aquatic environment.

**Mixture** 

Acute aquatic toxicity: No data available.

**Substance** 

**Aquatic Chronic Toxicity:** 

Acute aquatic toxicity: Test data reported below.

Fish:

Chemical name	Exposure	Species	Endpoint type	Reported dose	Key literature references and
	time				sources for data
Potassium	96 hours	Oncorhynchus mykiss	LC <sub>50</sub>	12.3 mg/L	ERMA
dichromate					
Sulfuric acid,	96 hours	Pimephales promelas	LC <sub>50</sub>	0.0012 mg/L	GESTIS
disilver(1+) salt					

## Crustacea:

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Potassium dichromate	48 Hours	Daphnia magna	EC <sub>50</sub>	0.035 mg/L	ERMA
Sulfuric acid, disilver(1+) salt	48 Hours	Ceriodaphnia dubia	LC50	0.0045 mg/L	GESTIS

Aquatic Chronic Toxicity: No data available.

12.2. Persistence and degradability

Mixture No data available.

12.3. Bioaccumulative potential

Mixture:No data available.Partition coefficientNo data available

12.4. Mobility in soil

Soil Organic Carbon-Water Partition No data available

Coefficient

## 12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

	Chemical name	PBT and vPvB assessment
--	---------------	-------------------------

BE / EGHS Page 14/20

Sulfuric acid	The substance is not PBT / vPvB
Potassium dichromate	PBT assessment does not apply
Sulfuric acid, disilver(1+) salt	PBT assessment does not apply

#### 12.6. Endocrine disrupting properties

Endocrine Disruptor Information: This product does not contain any known or suspected endocrine disruptors

#### 12.7. Other adverse effects

No information available.

Ozone: Not applicable

Ozone depletion potential (ODP): No information available

# **Section 13: DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

#### **Advice on Disposal**

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation. Our local agencies will accept used cuvettes to ensure their

proper disposal.

#### Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste.

#### Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous

substances, including mixtures of laboratory chemicals; hazardous waste.

**Contaminated packaging** Dispose of contents/containers in accordance with local regulations.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used.

## **Section 14: TRANSPORT INFORMATION**

#### **ADR**

14.1 UN number or ID number 2922

14.2 UN proper shipping name CORROSIVE LIQUID, TOXIC, N.O.S. (Sulfuric acid, Sulfuric acid, Mercury(II) salt)

14.3 Transport hazard class(es) 8
Subsidiary class 6.1
14.4 Packing Group II
14.5 Environmental hazards Yes

14.6 Special precautions for user

Special Provisions 274
Classification code CT1
Tunnel restriction code (E)

BE / EGHS Page 15/20

IATA

14.1 UN number or ID number UN2922

14.2 UN proper shipping name Corrosive liquid, toxic, n.o.s. (Sulfuric acid, Sulfuric acid, mercury(II) salt)

14.3Transport hazard class(es)8Subsidiary hazard class6.114.4Packing groupII14.5Environmental hazardsYes

14.6 Special precautions for user

Special Provisions A163, A44

<u>IMDG</u>

14.1 UN number or ID number UN2922

14.2 UN proper shipping name CORROSIVE LIQUID, TOXIC, N.O.S. (SULFURIC ACID, SULFURIC ACID, MERCURY(II)

SALT)

14.3Transport hazard class(es)8Subsidiary hazard class6.114.4Packing GroupII14.5Environmental hazardsYes14.6Special precautions for user

Special Provisions 274 EmS-No F-A, S-B

**14.7 Maritime transport in bulk** No information available

according to IMO instruments

#### **Additional information**

Not applicable

# **Section 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# National regulations

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Take note of Directive 94/33/EC on the protection of young people at work

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

#### Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
Sulfuric acid - 7664-93-9	75.	
Potassium dichromate - 7778-50-9	72. 28. 29. 30. 75. 47.	19.
Mercury sulphate - 7783-35-9	18. 75.	

BE / EGHS Page 16/20

Persistent Organic Pollutants Not applicable

**Export Notification requirements** This product contains substances which are regulated pursuant to Regulation (EC) No.

649/2012 of the European parliament and of the council concerning the export and import of

dangerous chemicals

Chemical name	European Export/Import Restrictions per (EC) 689/2008 - Annex Number
Mercury sulphate - 7783-35-9	I.1 I.3 V

# Dangerous substance category per Seveso Directive (2012/18/EU)

• E1 - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

#### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

#### Germany

Water hazard class (WGK) strongly hazardous to water (WGK 3)

#### **France**

#### Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Sulfuric acid	RG 5,RG 14,RG 15,RG	-
7664-93-9	15bis,RG 20bis	
	RG 14,RG 20bis,RG 65	
Potassium dichromate	RG 10,RG 10bis,RG 10ter	-
7778-50-9	RG 10	
Mercury sulphate	RG 2	-
7783-35-9		

## International Inventories

Complies **EINECS/ELINCS** Complies **TSCA** DSL/NDSL Complies Complies **ENCS** Complies **IECSC** Complies **KECL PICCS** Complies Complies **AICS** 

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances **TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

BE / EGHS Page 17/20

**ENCS** - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### 15.2. Chemical safety assessment

Chemical Safety Report Chemical safety assessments for substances in this mixture were not carried out.

# **Section 16: OTHER INFORMATION**

 Issue Date
 28-Apr-2009

 Revision Date
 02-Oct-2023

**Revision Note** updated SDS sections:

14

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Legend

\*\* Hazard Designation

ADN Accord européen relatif au transport international des marchandises dangereuses par voies

de navigation intérieure

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE Acute Toxicity Estimate

CAS Chemical Abstracts Service Number

Ceiling Maximum limit value

CLP Classification, Labelling and Packaging of substances and mixtures [Regulation (EC) No.

1272/2008]

DNEL Derived No Effect Level (DNEL)

EC European Community

ECHA (The European Chemicals Agency)

EC50 Effective Concentration to 50% of a test population

EEC European Economic Community

EN European Standard

IMDG International Maritime Dangerous Goods (IMDG)
IATA International Air Transport Association (IATA)

IATA-DGR International Air Transport Association - Dangerous Goods Regulations

ICAO International Civil Aviation Organization

ICAO-TI International Civil Aviation Organization - Technical Instructions
IUCLID IUCLID (The International Uniform Chemical Information Database)
GHS Globally Harmonized System of Classification and Labelling of Chemicals

LOAEL Lowest observed adverse effect level

LOAEC Lowest observed adverse effect concentration LC50 Lethal Concentration to 50% of a test population

LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)
LOLI (List of Lists - An International Chemical Regulatory Database)

MAK Maximale Arbeitsplatz-Konzentration, a German expression corresponding to threshold limit

value, which relates to safe daily exposure levels to chemical substances

NOAEL NOAEL (No observed adverse effect level)
NOAEC No observed adverse effect concentration

OSHA Occupational Safety and Health Administration of the US Department of Labour)

PEC Predicted Effect Concentration

PNEC Predicted No Effect Concentration (PNEC)

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

BE / EGHS Page 18/20

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals [Regulation (EC) No.

1907/2006])

RTECS (Registry of Toxic Effects of Chemical Substances)

TWA TWA (time-weighted average)

SKN\* Skin designation SKN+ Skin sensitisation

STEL STEL (Short Term Exposure Limit)
STOT Specific Target Organ Toxicity

STOT RE Specific target organ toxicity — repeated exposure STOT SE Specific target organ toxicity — single exposure

SVHC Substances of Very High Concern

TLV Threshold Limit Value

TRGS Technical rules for hazardous substances, Germany

TSCA Toxic Substances Control Act

UN United Nations

vPvB very persistent and very bioaccumulative

VOC Volatile organic compounds

AwSV Administrative regulation of water polluting substances, Germany

#### Key literature references and sources for data

See Section 11: TOXICOLOGICAL INFORMATION See Section 12: ECOLOGICAL INFORMATION

#### Classification procedure

Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Carcinogenicity	Calculation method
STOT - single exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration toxicity	Calculation method
Ozone	Calculation method
Corrosive to metals	On basis of test data

#### Full text of H-Statements referred to under section 3

H272 - May intensify fire; oxidiser

H300 - Fatal if swallowed

H301 - Toxic if swallowed

H310 - Fatal in contact with skin

H312 - Harmful in contact with skin

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H330 - Fatal if inhaled

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H340 - May cause genetic defects

H350 - May cause cancer

H360FD - May damage fertility. May damage the unborn child

H372 - Causes damage to organs through prolonged or repeated exposure

BE / EGHS Page 19/20

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

**Training Advice**Take note of Directive 98/24/EC on the protection of the health and safety of workers from

the risks related to chemical agents at work

**Restrictions on use** For Laboratory Use Only.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

**End of Safety Data Sheet** 

BE / EGHS Page 20/20