

# **SAFETY DATA SHEET**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Issue Date 20-Jan-2005 Revision Date 16-Oct-2023 Version 3.9

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product Code(s) LCK314

Product Name LCK314 CSB/COD/DCO, Sample cuvette

Unique Formula Identifier (UFI) 9A3A-7FK3-480S-FK4P

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Water Analysis. Determination of Chemical Oxygen Demand.

Uses advised against

#### 1.3. Details of the supplier of the safety data sheet

#### **Supplier**

HACH LANGE GmbH Willstätterstr. 11 D-40549 Düsseldorf Tel: +49 (0)211 5288-383 sds@hach.com

Responsible country contact:

HACH UK Laser House Ground Floor, Suite B Waterfront Quay, Salford Quays GB - Manchester, M50 3XW Tel. +44 (0) 161 872 1487 info-uk@hach.com

HACH Ireland Unit 34 GB Business Park Little Island IRL-Co. Cork T45 H681 Tel. +353 (0)146 02 522 info-ie@hach.com

# 1.4. Emergency telephone number

UK: Chemtrec: +44 20 3807 3798

IE: National Poisons Information Centre (NPIC) 01 809 2566 (24/7)

# **Section 2: HAZARDS IDENTIFICATION**

BE / EGHS Page 1/20

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals	Category 1 - (H290)
Acute toxicity - Oral	Category 4 - (H302)
Acute toxicity - Dermal	Category 3 - (H311)
Acute toxicity - Inhalation (Dusts/Mists)	Category 4 - (H332)
Skin corrosion/irritation	Category 1 Sub-category A - (H314)
Serious eye damage/eye irritation	Category 1 - (H318)
Specific target organ toxicity — repeated exposure	Category 2 - (H373)
Acute aquatic toxicity	Category 1 - (H400)
Chronic aquatic toxicity	Category 1 - (H410)

#### 2.2. Label elements

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Contains Sulfuric acid 90%, Mercury sulphate, Sulfuric acid, disilver(1+) salt



#### Signal word

Danger

# **Hazard statements**

- H290 May be corrosive to metals
- H302 Harmful if swallowed
- H311 Toxic in contact with skin
- H314 Causes severe skin burns and eye damage
- H332 Harmful if inhaled
- H373 May cause damage to organs through prolonged or repeated exposure
- H410 Very toxic to aquatic life with long lasting effects

#### **Precautionary statements**

- P260 Do not breathe dust/fume/gas/mist/vapours/spray
- P273 Avoid release to the environment
- P280 Wear protective gloves/protective clothing and eye/face protection
- P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P310 Immediately call a POISON CENTER or doctor
- P361 + P364 Take off immediately all contaminated clothing and wash it before reuse
- P390 Absorb spillage to prevent material damage

# 2.3. Other hazards

No information available.

#### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT)

This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

BE / EGHS Page 2/20

# **Endocrine Disruptor Information**

This product does not contain any known or suspected endocrine disruptors.

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

# 3.1 Substances

Not applicable

# 3.2 Mixtures

Chemical name	CAS No. EC No. Index No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]		M-Factor	M-Factor (long-term)
Sulfuric acid	7664-93-9 231-639-5 (016-020-00-8) 016-020-00-8	80 - 90%	Skin Corr. 1A - H314 Eye Dam. 1 - H318	Eye Irrit. 2 :H319: 5%<=C<15% Skin Corr. 1A :H314: C>=15% Skin Irrit. 2 :H315: 5%<=C<15%	-	-
Mercury sulphate	7783-35-9 231-992-5 (080-002-00-6) 080-002-00-6	1 - 5%	Acute Tox. 2 - H300 Acute Tox. 1 - H310 Acute Tox. 2 - H330 STOT RE 2 - H373 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	STOT RE 2 :H373: C>=0.1%	-	-
Sulfuric acid, disilver(1+) salt	10294-26-5 233-653-7 -	<1%	Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		100	100
Potassium dichromate	7778-50-9 231-906-6 (024-002-00-6) (024-017-00-8) 024-002-00-6	<0.1%	Ox. Sol. 2 - H272 Acute Tox. 3 - H301 Acute Tox. 4 - H312 Skin Corr. 1B - H314 Skin Sens. 1 - H317 Acute Tox. 2 - H330 Resp. Sens. 1 -	STOT SE 3 :H335: C>=5%	10	10

BE / EGHS Page 3/20

Chemical name	CAS No. EC No. Index No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
			Muta. 1B - H340			
			Carc. 1B - H350			
			Repr. 1B -			
			H360FD			
			STOT SE 3 -			
			H335			
			STOT RE 1 -			
			H372			
			Aquatic Acute 1 -			
			H400			
			Aquatic Chronic 1			
			- H410			

Chemical name	REACH registration number	
Sulfuric acid	01-2119458838-20-xxxx	
Potassium dichromate	01-2119454792-32	

# Full text of H- and EUH-phrases: see section 16

<u>Acute Toxicity Estimate</u> No information available

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Sulfuric acid, disilver(1+) salt 10294-26-5	> 5000 mg/kg	None reported	None reported	None reported	None reported
Potassium dichromate 7778-50-9	90.5 mg/kg	1170 mg/kg	0.094 mg/L	None reported	None reported

# **Section 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

General advice Take off contaminated clothing and shoes immediately. Show this safety data sheet to the

doctor in attendance. Immediate medical attention is required.

**Inhalation** Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical

attention immediately. If breathing is difficult, (trained personnel should) give oxygen. Get

immediate medical attention.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open

while rinsing. Do not rub affected area. Get immediate medical attention.

**Skin contact**Get immediate medical attention. Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes.

BE / EGHS Page 4/20

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting. Get immediate medical attention.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the

material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid breathing vapours or mists. Use personal protective equipment as

required. See section 8 for more information.

4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** Burning sensation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Note to doctors

# Section 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

**Suitable Extinguishing Media** Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment. Product itself does not burn.

No information available. Unsuitable extinguishing media

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition

can lead to release of irritating gases and vapours.

**Hazardous combustion products** Sulphur oxides. May vaporize to form Mercury vapor.

5.3. Advice for firefighters

Special protective equipment and

precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

Additional information Fire residues and contaminated fire extinguishing water must be disposed of in accordance

with local regulations.

# **Section 6: ACCIDENTAL RELEASE MEASURES**

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

> protective equipment as required. Evacuate personnel to safe areas. Attention! Corrosive material. Keep people away from and upwind of spill/leak. Avoid breathing vapours or mists.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Should not be released into the

environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

BE / EGHS Page 5 / 20

#### 6.3. Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder,

sawdust). Take up mechanically, placing in appropriate containers for disposal.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

# **Section 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Take off contaminated clothing and wash it before reuse. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using

this product. Avoid breathing vapours or mists.

**General hygiene considerations** Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this

product. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from

moisture. Protect from light. Keep out of the reach of children. Store locked up. Accessible

only for authorized persons.

7.3. Specific end use(s)

**Specific use(s)** Analytical reagent.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

# **Exposure Limits**

Chemical name	European Union	United Kingdom	Ireland
Sulfuric acid	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.05 ppm
7664-93-9		STEL: 0.15 mg/m <sup>3</sup>	STEL: 0.15 ppm
Mercury sulphate	TWA: 0.02 mg/m <sup>3</sup>	TWA: 0.02 mg/m <sup>3</sup>	TWA: 0.02 mg/m <sup>3</sup>
7783-35-9	-	STEL: 0.06 mg/m <sup>3</sup>	STEL: 0.06 mg/m <sup>3</sup>
Sulfuric acid, disilver(1+) salt	TWA: 0.01 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup>
10294-26-5	-	STEL: 0.03 mg/m <sup>3</sup>	STEL: 0.03 mg/m <sup>3</sup>
Potassium dichromate	TWA: 0.005 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup>	TWA: 0.005 mg/m <sup>3</sup>
7778-50-9	TWA: 0.010 mg/m <sup>3</sup>	TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup>

BE / EGHS Page 6/20

STEL: 0.075 mg/m <sup>3</sup>
-------------------------------

# **Biological occupational exposure limits**

Chemical name	European Union	United Kingdom	Ireland
Potassium dichromate	-	-	25 μg/L (urine - total
7778-50-9			Chromium end of shift at end
			of workweek)
			10 μg/L (urine - total
			Chromium increase during
			shift)

# Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
Sulfuric acid 7664-93-9	-	-	0.05 mg/m³ [5] [6] 0.1 mg/m³ [5] [7]
Potassium dichromate 7778-50-9	-	43 µg/kg bw/d 93 µg/kg bw/d [2] [3]	43 μg/m³ 85 μg/m³ [2] [3]

**Notes** 

[2]

Fertility effects.
Developmental effects. Local health effects.

Long term.

[3] [5] [6] [7] Short term.

# **Predicted No Effect Concentration (PNEC)** No information available.

Chemical name	Freshwater	Freshwater	Marine water	Marine water	Air
		(intermittent release)		(intermittent release)	
Sulfuric acid 7664-93-9	0.0025 mg/L	-	0.00025 mg/L	-	-
Sulfuric acid, disilver(1+) salt 10294-26-5	0.04 μg/L	-	0.86 μg/L	-	-
Potassium dichromate 7778-50-9	0.00047 mg/L	0.00047 mg/L	-	-	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
Sulfuric acid		0.000 mg/kg	0.0 mg/l		
	0.002 mg/kg	0.002 mg/kg	8.8 mg/L	-	-
7664-93-9	sediment dw	sediment dw			
Sulfuric acid, disilver(1+)	438.13 mg/kg	438.13 mg/kg	0.025 mg/L	0.794 mg/kg soil dw	-
salt	sediment dw	sediment dw			
10294-26-5					
Potassium dichromate	0.15 mg/kg	0.15 mg/kg	0.21 mg/L	0.035 mg/kg soil dw	17000 g/kg food
7778-50-9	sediment dw	sediment dw			

BE / EGHS Page 7/20 8.2. Exposure controls

Engineering controls

Technical measures and appropriate working operations should be given priority over the

use of personal protective equipment. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific

workplace.

Personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable gloves. Barrier creams may help to protect the exposed areas of skin. Gloves

must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374-1:2016 derived from it.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III acco.

Gloves							
Duration of contact	PPE - Glove material	Glove thickness	Break through time				
Long term (repeated)	Wear protective Viton™ gloves	0,70 mm	>480 minutes				
Short term	Wear protective nitrile rubber gloves	0,40 mm	>30 minutes				

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing.

Respiratory protection When workers are facing concentrations above the exposure limit they must use appropriate

certified respirators.

**Recommended filter type:** ABEK-P3.

**General hygiene considerations** Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this

product. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace.

**Environmental exposure controls** Do not allow into any sewer, on the ground or into any body of water.

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

Physical state Liquid

Colour yellow-orange Odour Odourless

Property Values Remarks • Method

Molecular weight No data available

**pH** ~ 1 @ 20 °C

Melting point / freezing point No data available

Initial boiling point and boiling range 300 °C / 572 °F

BE / EGHS Page 8/20

Evaporation rate No data available

Vapour pressure No data available

Relative vapor density

No data available

Partition coefficient No data available

Soil Organic Carbon-Water Partition

Coefficient

No data available

Autoignition temperature No data available

**Decomposition temperature** No data available

Dynamic viscosity No data available

Kinematic viscosity

No data available

Relative density 1.89 g/mL @ 20 °C

#### Solubility(ies)

# Water solubility

Water solubility classification	Water solubility_	Water Solubility Temperature_
Completely soluble	> 10000 mg/L	25 °C / 77 °F

#### Solubility in other solvents

Chemical Name_	Solubility classification	<u>Solubility</u>	Solubility Temperature
None reported	No information available	No data available	No information available

# **Metal Corrosivity**

Classified as corrosive to metal according to CLP criteria

Steel Corrosion Rate 2359 mm/yr / 92.87 in/yr

Aluminum Corrosion Rate No data available

**Explosive properties** 

Upper explosion limitNo data availableLower explosion limitNo data available

Flammable properties

Flash point No data available

Flammability

Upper flammability limit:No data availableLower flammability limitNo data available

Oxidising properties No data available.

Bulk density Not applicable

9.2. Other information

No information available.

BE / EGHS Page 9/20

# Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

**Reactivity** Reacts violently with water. Corrosive to metal.

10.2. Chemical stability

**Stability** Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid To avoid thermal decomposition, do not overheat. Temperatures above 300 °C / 572 °F.

Exposure to air or moisture over prolonged periods.

10.5. Incompatible materials

Incompatible materials Organic material. Bases. Reducing agent. Metals. Ammonia. Nitric acid. Alkaline earth

metals.

10.6. Hazardous decomposition products

Hazardous Decomposition Products Thermal decomposition can lead to release of toxic/corrosive gases and vapours. Sulphur

oxides. Chromium trioxide.

# Section 11: TOXICOLOGICAL INFORMATION

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

# **Acute toxicity**

Based on available data, the classification criteria are not met

Mixture No data available.

Substance No data available.

# **Oral Exposure Route:**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid, disilver(1+) salt	Rat LD₅₀	> 5000 mg/kg	None reported	None reported	No information available
Potassium dichromate	Rat LD <sub>50</sub>	90.5 mg/kg	None reported	None reported	OECD 401

## **Dermal Exposure Route:**

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Potassium dichromate		1170 mg/kg	None reported	None reported	ERMA
	LD50				

BE / EGHS Page 10 / 20

#### Inhalation (Dust/Mist) Exposure Route:

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Potassium dichromate	Rat LC <sub>50</sub>	0.094 mg/L	4 hours	None reported	ERMA

#### Inhalation (Vapor) Exposure Route:

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Mercury sulphate	None reported	Estimated from	None reported	None reported	No information available
		theoretical calculation			

# Acute Toxicity Estimate (ATE) Not applicable

ATEmix (oral)	332.20 mg/kg
ATEmix (dermal)	331.60 mg/kg
ATEmix (inhalation-dust/mist)	3.322 mg/l
ATEmix (inhalation-vapour)	33.20 mg/l

#### Unknown acute toxicity

0 % of the mixture consists of ingredient(s) of unknown toxicity.

- 0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

# Skin corrosion/irritation

Causes severe burns.

Mixture No data available.

Substance Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid	Existing human experience	Human	None reported	None reported	Corrosive to skin	HSDB
Mercury sulphate	Existing human experience	Human	None reported	None reported	Skin irritant	GESTIS
Sulfuric acid, disilver(1+) salt	Draize Test	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA

# Serious eye damage/eye irritation

Classification based on data available for ingredients. Causes serious eye damage. Causes burns.

Mixture No data available.

Substance Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid	Existing human	Human	None reported	None reported	Corrosive to eyes	HSDB

BE / EGHS Page 11/20

	experience					
Mercury sulphate	Existing human	Human	None reported	None reported	Eye irritant	GESTIS
·	experience					
Sulfuric acid,	Draize Test	Rabbit	180 mg	None reported	Corrosive to eyes	ECHA
disilver(1+) salt					•	

# Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

No data available. Mixture

Substance Test data reported below.

# **Skin Sensitization Exposure Route:**

Chemical name	Test method	Species	Results	Key literature references and sources for data
Sulfuric acid, disilver(1+) salt	<i>in vivo</i> Assay	Guinea pig	No sensitisation responses were observed.	ECHA

<u>STOT - single exposure</u>
Based on available data, the classification criteria are not met.

No data available. Mixture

Substance Test data reported below.

# Inhalation (Vapor) Exposure Route:

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Sulfuric acid	Human	0.144 mg/L	5 minutes	Lungs, Thorax, or	RTECS
	TDLo			Respiration	
				Dyspnea	

# STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Mixture No data available.

Substance Test data reported below.

# **Oral Exposure Route:**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid, disilver(1+) salt	Rat LD	> 2000 mg/kg	14 days	No toxicological effects observed	ECHA

# Inhalation (Vapor) Exposure Route:

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid	Human	0.003 mg/L	168 days	Musculoskeletal	RTECS
	TCLo			Changes in teeth and supporting	
				structures	

# **Germ cell mutagenicity**

BE / EGHS Page 12/20 Based on available data, the classification criteria are not met.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic

Chemical name	European Union
Potassium dichromate	Muta. 1B

Mixture invitro **Data** No data available.

Substance invitro **Data** Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid	Cytogenetic analysis	Hamster ovary	4 mmol/L	None reported	Positive test result for mutagenicity	No information available
Sulfuric acid, disilver(1+) salt	Mutation in mammalian somatic cells	Human lymphocyte	.08 mg/L	3 hours	Negative	ECHA
Potassium dichromate	Micronucleus test	Human lymphocyte	0.3 mg/L	None reported	Positive test result for mutagenicity	RTECS

Mixture invivo **Data** No data available.

Substance invivo **Data**No data available.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union
Potassium dichromate	Carc. 1B

Mixture No data available.

Substance No data available.

# Reproductive toxicity

Based on available data, the classification criteria are not met.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

Chemical name	European Union
Potassium dichromate	Repr. 1B

Mixture No data available.

Substance Test data reported below.

# **Oral Exposure Route:**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Potassium dichromate	Mouse TDLo	1710 mg/kg	19 days	Effects on Embryo or Fetus Fetotoxicity (except death e.g. stunted fetus) Effects on Fertility Post-implantation mortality (e.g. dead and/or resorbed implants	

BE / EGHS Page 13 / 20

	per total number of implants)	
	Specific Developmental	
	Abnormalities	
	Craniofacial (including nose and	
	tongue)	

#### Inhalation (Vapor) Exposure Route:

	Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
L		type	dose	time		sources for data
Γ	Sulfuric acid	Rabbit	0.02 mg/L	7 hours	Specific Developmental	No information available
		TCLo			Abnormalities	
L					Musculoskeletal system	

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

#### 11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** This product does not contain any known or suspected endocrine disruptors.

11.2.2. Other information

Other adverse effects No information available.

# **Section 12: ECOLOGICAL INFORMATION**

12.1. Toxicity

**Ecotoxicity** Very toxic to aquatic life with long lasting effects.

**Unknown aquatic toxicity**Contains 0 % of components with unknown hazards to the aquatic environment.

**Mixture** 

Acute aquatic toxicity: No data available.

Aquatic Chronic Toxicity: No data available.

**Substance** 

Acute aquatic toxicity: Test data reported below.

Fish:

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sulfuric acid, disilver(1+) salt	96 hours	Pimephales promelas	LC50	0.0012 mg/L	ECHA
Potassium dichromate	96 hours	Oncorhynchus mykiss	LC50	12.3 mg/L	ERMA

#### Crustacea:

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sulfuric acid,	48 Hours	Daphina magna	LC <sub>50</sub>	0.00022 mg/L	ECHA

BE / EGHS Page 14/20

disilver(1+) salt					
Potassium	48 Hours	Daphnia magna	EC <sub>50</sub>	0.035 mg/L	ERMA
dichromate		-			

Aquatic Chronic Toxicity: Test data reported below.

Crustacea:

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sulfuric acid, disilver(1+) salt	7 days	Ceriodaphnia dubia	EC <sub>10</sub>	0.00248 mg/L	EPA

#### 12.2. Persistence and degradability

Mixture No data available.

12.3. Bioaccumulative potential

Mixture: No data available.

Partition coefficient No data available

12.4. Mobility in soil

**Soil Organic Carbon-Water Partition** 

Coefficient

No data available

# 12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Chemical name	PBT and vPvB assessment
Sulfuric acid	The substance is not PBT / vPvB
Sulfuric acid, disilver(1+) salt	PBT assessment does not apply
Potassium dichromate	PBT assessment does not apply

#### 12.6. Endocrine disrupting properties

Endocrine Disruptor Information: This product does not contain any known or suspected endocrine disruptors

#### 12.7. Other adverse effects

No information available.

Ozone: Not applicable

Ozone depletion potential (ODP): No information available

# **Section 13: DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

**Advice on Disposal** 

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation. Our local agencies will accept used cuvettes to ensure their

proper disposal.

BE / EGHS Page 15/20

#### Waste disposal number (residues/unused products)

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous

substances, including mixtures of laboratory chemicals; hazardous waste.

#### Waste disposal number (used product)

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous

substances, including mixtures of laboratory chemicals; hazardous waste.

Dispose of contents/containers in accordance with local regulations. Contaminated packaging

Other Information Do not reuse empty containers.

# **Section 14: TRANSPORT INFORMATION**

#### ADR

3316 14.1 UN number or ID number

14.2 UN proper shipping name CHEMICAL KIT

14.3 Transport hazard class(es) 14.4 Packing Group 14.5 Environmental hazards No

14.6 Special precautions for user

251, 340, 671 **Special Provisions** Classification code M11

**Tunnel restriction code** (E)

#### IATA

14.1 UN number or ID number UN3316 Chemical kit 14.2 UN proper shipping name

14.3 Transport hazard class(es) 14.4 Packing group Ш 14.5 Environmental hazards No

14.6 Special precautions for user

**Special Provisions** None

14.1 UN number or ID number UN3316 14.2 UN proper shipping name CHEMICAL KIT

14.3 Transport hazard class(es) 14.4 Packing Group Ш 14.5 Environmental hazards No

14.6 Special precautions for user

**Special Provisions** 251, 340 F-A. S-P **EmS-No** 

No information available 14.7 Maritime transport in bulk

according to IMO instruments

#### **Additional information**

This product forms part of a kit. Information in this section relates to the kit as a whole.

# Section 15: REGULATORY INFORMATION

BE / EGHS Page 16 / 20

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Take note of Directive 94/33/EC on the protection of young people at work

#### Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH	Substance subject to authorisation per
	Annex XVII	REACH Annex XIV
Sulfuric acid - 7664-93-9	Use restricted. See entry 75.	
Mercury sulphate - 7783-35-9	Use restricted. See entry 18.	
	Use restricted. See entry 75.	
Potassium dichromate - 7778-50-9	Use restricted. See entry 72.	19.
	Use restricted. See entry 28.	
	Use restricted. See entry 29.	
	Use restricted. See entry 30.	
	Use restricted. See entry 75.	
	Use restricted. See entry 47.	

Persistent Organic Pollutants Not applicable

**Export Notification requirements** 

This product contains substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals

Chemical name	European Export/Import Restrictions per (EC) 689/2008 - Annex
	Number
Mercury sulphate - 7783-35-9	l.1
	I.3
	V

# Dangerous substance category per Seveso Directive (2012/18/EU)

• E1 - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Germany

Water hazard class (WGK) strongly hazardous to water (WGK 3)

France

Occupational Illnesses (R-463-3, France)

BE / EGHS Page 17/20

Chemical name	French RG number	Title
Sulfuric acid	RG 5,RG 14,RG 15,RG	-
7664-93-9	15bis,RG 20bis	
	RG 14,RG 20bis,RG 65	
Mercury sulphate	RG 2	-
7783-35-9		
Potassium dichromate	RG 10,RG 10bis,RG 10ter	-
7778-50-9	RG 10	

#### **International Inventories**

**EINECS/ELINCS** Complies Complies **TSCA** Complies **DSL/NDSL ENCS** Complies Complies **IECSC KECL** Complies **PICCS** Complies Complies **AICS** 

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### 15.2. Chemical safety assessment

Chemical Safety Report Chemical safety assessments for substances in this mixture were not carried out.

# **Section 16: OTHER INFORMATION**

 Issue Date
 20-Jan-2005

 Revision Date
 16-Oct-2023

Revision Note (M)SDS sections updated

14

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Legend

\*\* Hazard Designation

ADN Accord européen relatif au transport international des marchandises dangereuses par voies

de navigation intérieure

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE Acute Toxicity Estimate

CAS Chemical Abstracts Service Number

Ceiling Maximum limit value

CLP Classification, Labelling and Packaging of substances and mixtures [Regulation (EC) No.

BE / EGHS Page 18/20

1272/2008]

**DNEL** Derived No Effect Level (DNEL)

**European Community** EC

**ECHA** ECHA (The European Chemicals Agency)

EC50 Effective Concentration to 50% of a test population

European Economic Community **EEC** 

European Standard FΝ

**IMDG** International Maritime Dangerous Goods (IMDG) IATA International Air Transport Association (IATA)

IATA-DGR International Air Transport Association - Dangerous Goods Regulations

International Civil Aviation Organization **ICAO** 

International Civil Aviation Organization - Technical Instructions **ICAO-TI** IUCLID (The International Uniform Chemical Information Database) **IUCLID** Globally Harmonized System of Classification and Labelling of Chemicals **GHS** 

Lowest observed adverse effect level LOAEL

Lowest observed adverse effect concentration LOAEC LC50 Lethal Concentration to 50% of a test population

LD50 Lethal Dose to 50% of a test population (Median Lethal Dose) LOLI LOLI (List of Lists - An International Chemical Regulatory Database)

Maximale Arbeitsplatz-Konzentration, a German expression corresponding to threshold limit MAK

value, which relates to safe daily exposure levels to chemical substances

**NOAEL** NOAEL (No observed adverse effect level) **NOAEC** No observed adverse effect concentration

OSHA (Occupational Safety and Health Administration of the US Department of Labour) **OSHA** 

**Predicted Effect Concentration** PEC

**PNEC** Predicted No Effect Concentration (PNEC)

Persistent, Bioaccumulative, and Toxic (PBT) Chemicals PBT

Registration, Evaluation, Authorisation and Restriction of Chemicals [Regulation (EC) No. **REACH** 

1907/2006])

**RTECS** RTECS (Registry of Toxic Effects of Chemical Substances)

TWA (time-weighted average) TWA

SKN\* Skin designation Skin sensitisation SKN+

STEL STEL (Short Term Exposure Limit) STOT Specific Target Organ Toxicity

Specific target organ toxicity — repeated exposure Specific target organ toxicity — single exposure STOT RE STOT SE

Substances of Very High Concern **SVHC** 

Threshold Limit Value TLV

Technical rules for hazardous substances, Germany **TRGS** 

Toxic Substances Control Act **TSCA** 

UN **United Nations** 

vPvB very persistent and very bioaccumulative

VOC Volatile organic compounds

AwSV Administrative regulation of water polluting substances, Germany

# Key literature references and sources for data See Section 11: TOXICOLOGICAL INFORMATION

See Section 12: ECOLOGICAL INFORMATION

#### Classification procedure

Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method

BE / EGHS Page 19 / 20

Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration toxicity	Calculation method
Ozone	Calculation method
Corrosive to metals	On basis of test data

#### Full text of H-Statements referred to under section 3

H272 - May intensify fire; oxidiser

H300 - Fatal if swallowed

H301 - Toxic if swallowed

H310 - Fatal in contact with skin

H312 - Harmful in contact with skin

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H330 - Fatal if inhaled

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H340 - May cause genetic defects

H350 - May cause cancer

H360FD - May damage fertility. May damage the unborn child

H372 - Causes damage to organs through prolonged or repeated exposure

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

**Training Advice** Take note of Directive 98/24/EC on the protection of the health and safety of workers from

the risks related to chemical agents at work

Prepared By Hach Product Compliance Department

**Restrictions on use** For Laboratory Use Only.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

**End of Safety Data Sheet** 

BE / EGHS Page 20/20