


TRACE TR-5MS GC Columns

Features a popular GC-MS phase for many applications

- Non-polar phase, 5% phenyl polysilphenylene-siloxane
- Low bleed and high stability
- High signal-to-noise ratio for increased sensitivity
- High robustness to oxygen and water contamination



| | |
|--------------|--|
| Phase: | 5% Phenyl Polysilphenylene-siloxane |
| Max. Temps.: | 360°C/370°C for films ≤1.5µm 350°C/360°C for films >1.5µm |
| USP Listing: | G27, G36 |

TRACE TR-5MS GC Columns

| ID (mm) | Length (m) | Film Thickness (µm) | Cat. No. | Quantity |
|---------|------------|---------------------|-----------------|----------|
| 0.10 | 10 | 0.1 | 260F020P | 1 Each |
| 0.15 | 25 | 0.25 | 260F134P | 1 Each |
| 0.18 | 20 | 0.18 | 260F578P | 1 Each |
| 0.25 | 15 | 0.1 | 260F035P | 1 Each |
| | | 0.25 | 260F130P | 1 Each |
| | | 0.1 | 260F047P | 1 Each |
| | | 0.25 | 260F142P | 1 Each |
| | | 0.25 | 260F142J | 1 Each |
| | | 0.5 | 260F223P | 1 Each |
| | | 1.0 | 260F296P | 1 Each |
| 0.32 | 60 | 0.25 | 260F154P | 1 Each |
| | | 1.0 | 260F308P | 1 Each |
| | | 1.0 | 260F285P | 1 Each |
| 0.53 | 15 | 0.25 | 260F143P | 1 Each |
| | | 0.5 | 260F224P | 1 Each |
| | | 1.0 | 260F297P | 1 Each |
| | | 1.0 | 260F225P | 1 Each |
| 0.53 | 30 | 0.5 | 260F225P | 1 Each |
| | | 1.0 | 260F298P | 1 Each |
| | | 1.5 | 260F336P | 1 Each |
| 0.53 | 30 | 3.0 | 260F396P | 1 Each |

Applications:

- Hydrocarbons
- Solvents
- Pesticides
- Herbicides
- Phenols
- Amines